


365m³ OF ATTENUATION CONSISTING OF
AQUA CELL 'PLUS-R' STORAGE BLOCKS
32 UNITS x 20 UNITS X 2 UNIT
(16m x 20m x 0.8m @ 95% VOID RATIO)
TO BE BACKFILLED & VENTED IN
ACCORDANCE WITH MANUFACTURERS
GUIDANCE & RECOMMENDATIONS TO CATER
FOR THE 100 YEAR STORM EVENT WITH A 40%
ALLOWANCE FOR CLIMATIC CHANGE

- ### KEY



P03	UPDATED AS PER LATEST LAYOUT	SB	RH	JP	25.02.2025
P02	BALANCING POND INTRODUCED	RH	MM	JP	30.01.2025
REV	DESCRIPTION	BY	CHK	APR	DATE

 **JPS** | CIVIL +
STRUCTURAL
ENGINEERS

+44 (0)1244 956000 | www.jpstructural.co.uk | info@jpstructural.co.uk

PURPOSE OF ISSUE	STATUS
PRELIMINARY	P

PROJECT

CHESTER WOOL COMPANY
SANDYCROFT

TITLE

DRAINAGE SCHEME
PROPOSED LAYOUT

CLIENT

CASSIDY & ASHTON

DRAWN BY SB	CHECKED BY RH	APPROVED BY JP
----------------	------------------	-------------------

DATE	SCALE (@ A1)	PROJECT NUMBER
23.01.2025	1:200	107014

DRAWING NUMBER	REV
0602	P03

RWP, SS & SVP POSITIONS DEPICTED
ARE SUBJECT TO CONFIRMATION BY
THE ARCHITECT OR M&E CONSULTANT