



İçten Soğutmalı İç Çap Kater
Boring Bars With Coolant

93° PDUNR




Sipariş Kodu Order Code Best.-Nr.	Stok/Stock/Lager	Ürün Kodu Product Code Produkt-Code	Ölçüler (mm) Dimensions(mm) Abmessungen (mm)							Kullanılan Uç Insert WSP	Sıkma Civatası Clamp Screw Klemm-Schraube	Altılık Shim U-Platte	Levye Sacı Lock Pin Rohrstift	Levye Lever Kniehebel	Anahtar Allen Key Inbuss-Schlüssel
			Dmin	d	L	L1	f	h	Ⓢ						
AP300	●	A25S PDUNR 15	32	25	250	50	17	23	0,900	DNMG 1506	TH6134A M6	---	---	TL4A	2,5 Allen
AP302	●	A32T PDUNR 15	40	32	300	55	22	30	1,770		TH822 M8	TA014-1	TS-4	TL4B	3 Allen
AP304	●	A40T PDUNR 15	50	40	300	55	27	38	1,790						

93° PDUNL




Sipariş Kodu Order Code Best.-Nr.	Stok/Stock/Lager	Ürün Kodu Product Code Produkt-Code	Ölçüler (mm) Dimensions(mm) Abmessungen (mm)							Kullanılan Uç Insert WSP	Sıkma Civatası Clamp Screw Klemm-Schraube	Altılık Shim U-Platte	Levye Sacı Lock Pin Rohrstift	Levye Lever Kniehebel	Anahtar Allen Key Inbuss-Schlüssel
			Dmin	d	L	L1	f	h	Ⓢ						
AP310	●	A25S PDUNL 15	32	25	250	50	17	23	0,900	DNMG 1506	TH6134A M6	---	---	TL4A	2,5 Allen
AP312	●	A32T PDUNL 15	40	32	300	55	22	30	1,770		TH822 M8	TA014-1	TS-4	TL4B	3 Allen
AP314	●	A40T PDUNL 15	50	40	300	55	27	38	1,790						

95° PCLNR




Sipariş Kodu Order Code Best.-Nr.	Stok/Stock/Lager	Ürün Kodu Product Code Produkt-Code	Ölçüler (mm) Dimensions(mm) Abmessungen (mm)						Kullanılan Uç Insert wSP	Sıkma Civatası Clamp Screw Klemm-Schraube	Aitlik Shim U-Platte	Levye Sacı Lock Pin Rohrstift	Levye Lever Kniehebel	Anahtar Allen Key Inbuss-Schlüssel	
			Dmin	d	L	L1	f	h							kg
AP338	●	A20R PCLNR 12	24	20	200	50	13	18	0,520	CNMG 1204	TH6134A M6	---	---	TL4A	2,5 Allen
AP340	●	A25S PCLNR 12	32	25	250	50	17	23	0,921						
AP342	●	A32T PCLNR 12	40	32	300	50	22	30	1,809		TH821 M8	TA016-1	TS-4	TL4	3 Allen
AP344	●	A40T PCLNR 12	50	40	300	55	27	38	1,820						

95° PCLNL




Sipariş Kodu Order Code Best.-Nr.	Stok/Stock/Lager	Ürün Kodu Product Code Produkt-Code	Ölçüler (mm) Dimensions(mm) Abmessungen (mm)						Kullanılan Uç Insert wSP	Sıkma Civatası Clamp Screw Klemm-Schraube	Aitlik Shim U-Platte	Levye Sacı Lock Pin Rohrstift	Levye Lever Kniehebel	Anahtar Allen Key Inbuss-Schlüssel	
			Dmin	d	L	L1	f	h							kg
AP348	●	A20R PCLNR 12	24	20	200	50	13	18	0,520	CNMG 1204	TH6134A M6	---	---	TL4A	2,5 Allen
AP350	●	A25S PCLNL 12	32	25	250	50	17	23	0,921						
AP352	●	A32T PCLNL 12	40	32	300	50	22	30	1,809		TH821 M8	TA016-1	TS-4	TL4	3 Allen
AP354	●	A40T PCLNL 12	50	40	300	55	27	38	1,820						

95° PWLNR 08



Sipariş Kodu Order Code Best.-Nr.	Stok/Stock/Lager	Ürün Kodu Product Code Produkt-Code	Ölçüler (mm) Dimensions(mm) Abmessungen (mm)						Kullanılan Uç Insert WSP	Sıkma Civatası Clamp Screw Klemm-Schraube	Altlık Shim U-Platte	Levye Sacı Lock Pin Rohrstift	Levye Lever Kniehebel	Anahtar Allen Key Inbuss-Schlüssel	
			Dmin	d	L	L1	f	h							KG
AP360	●	A25S PWLNR 08	32	25	250	50	17	23	0,911	WNMG 0804	TH6134A M6	---	---	TL4A	2,5 Allen
AP362	●	A32T PWLNR 08	40	32	300	60	22	30	1,764		TH821 M8	TA020-1	TS-4	TL4	3 Allen
AP364	●	A40T PWLNR 08	50	40	300	60	27	38	2,800						

95° PWLNL 08



Sipariş Kodu Order Code Best.-Nr.	Stok/Stock/Lager	Ürün Kodu Product Code Produkt-Code	Ölçüler (mm) Dimensions(mm) Abmessungen (mm)						Kullanılan Uç Insert WSP	Sıkma Civatası Clamp Screw Klemm-Schraube	Altlık Shim U-Platte	Levye Sacı Lock Pin Rohrstift	Levye Lever Kniehebel	Anahtar Allen Key Inbuss-Schlüssel	
			Dmin	d	L	L1	f	h							KG
AP370	●	A25S PWLNL 08	32	25	250	50	17	23	0,911	WNMG 0804	TH6134A M6	---	---	TL4A	2,5 Allen
AP372	●	A32T PWLNL 08	40	32	300	60	22	30	1,764		TH821 M8	TA020-1	TS-4	TL4	3 Allen
AP374	●	A40T PWLNL 08	50	40	300	60	27	38	2,800						


İçten Soğutmalı İç Çap Kater
Boring Bars With Coolant

95° PWLNR 06



Sipariş Kodu Order Code Best.-Nr.	Stok/Stock/Lager	Ürün Kodu Product Code Produkt-Code	Ölçüler (mm) Dimensions(mm) Abmessungen (mm)							Kullanılan Uç Insert WSP	Sıkma Civatası Clamp Screw Klemm-Schraube	Levye Lever Kniehebel	Anahtar Allen Key Inbuss-Schlüssel
			Dmin	d	L	L1	f	h	Ⓢ				
AP380	●	A16R PWLNR 06	20	16	200	40	11	15	0,326	WNMG 0604	TH512 M5	TL3B	2 Allen
AP382	●	A20R PWLNR 06	25	20	200	40	13	18	0,471				


95° PWLNL 06



Sipariş Kodu Order Code Best.-Nr.	Stok/Stock/Lager	Ürün Kodu Product Code Produkt-Code	Ölçüler (mm) Dimensions(mm) Abmessungen (mm)							Kullanılan Uç Insert WSP	Sıkma Civatası Clamp Screw Klemm-Schraube	Levye Lever Kniehebel	Anahtar Allen Key Inbuss-Schlüssel
			Dmin	d	L	L1	f	h	Ⓢ				
AP388	●	A16R PWLNL 06	20	16	200	40	11	15	0,326	WNMG 0604	TH512 M5	TL3B	2 Allen
AP390	●	A20R PWLNL 06	25	20	200	40	13	18	0,471				


İçten Soğutmalı İç Çap Kater
Boring Bars With Coolant

95° SCLCR IK



Sipariş Kodu Order Code Best.-Nr.	Stok/Stock/Lager	Ürün Kodu Product Code	Ölçüler (mm) Dimensions(mm) Abmessungen (mm)							Kullanılan Uç Insert WSP	Sıkma Civatası Clamp Screw Torx-Schraube	Anahtar Torx Key Torx-Schlüssel
			Dmin	d	L	L1	f	h	kg			
KA102	●	A08H SCLCR 06	10	8	100	16	5,5	7	0,050	CC-- 0602	TC060 M2,5x5,5	T8
KA104	●	A10J SCLCR 06	12	10	110	20	6	9	0,074			
KA106	●	A12K SCLCR 06	16	12	125	25	9	11	0,113			
KA108	●	A14-16Q SCLCR 09	18	16	180	45	9,5	15	0,267	CC-- 09T3	TC067 M3,5x8,5	T15
KA110	●	A16Q SCLCR 09	20	16	180	30	11	15	0,260			
KA111	●	A16M SCLCR 09	20	16	150	30	11	15	0,227			
KA114	●	A20Q SCLCR 09	25	20	180	40	13	18	0,422			
KA116	●	A25R SCLCR 09	32	25	200	40	17	23	0,734			


95° SCLCL IK



Sipariş Kodu Order Code Best.-Nr.	Stok/Stock/Lager	Ürün Kodu Product Code Produkt-Code	Ölçüler (mm) Dimensions(mm) Abmessungen (mm)							Kullanılan Uç Insert WSP	Sıkma Civatası Clamp Screw Torx-Schraube	Anahtar Torx Key Torx-Schlüssel
			Dmin	d	L	L1	f	h	kg			
KA232	●	A08H SCLCL 06	10	8	100	16	5,5	7	0,050	CC-- 0602	TC060 M2,5x5,5	T8
KA234	●	A10J SCLCL 06	12	10	110	20	6	9	0,074			
KA236	●	A12K SCLCL 06	16	12	125	25	9	11	0,113			
KA239	●	A16M SCLCL 09	20	16	150	30	11	15	0,227	CC-- 09T3	TC067 M3,5x8,5	T15
KA240	●	A16Q SCLCL 09	20	16	180	30	11	15	0,260			
KA244	●	A20Q SCLCL 09	25	20	180	40	13	18	0,422			
KA246	●	A25R SCLCL 09	32	25	200	40	17	23	0,734			


İçten Soğutmalı İç Çap Kater
Boring Bars With Coolant

90° STFCR IK




Sipariş Kodu Order Code Best.-Nr.	Stok/Stok/Lager	Ürün Kodu Product Code Produkt-Code	Ölçüler (mm) Dimensions(mm) Abmessungen (mm)							Kullanılan Uç Insert WSP	Sıkma Civatası Clamp Screw Torx-Schraube	Anahtar Torx Key Torx-Schlüssel
			Dmin	d	L	L1	f	h	kg			
KA160	●	A12K STFCR 11	16	12	125	25	9	11	0,053	TCMT 1102	TC060 M2,5x5,5	T8
KA161	●	A16Q STFCR 11	20	16	180	30	11	15	0,289			
KA162	●	A16Q STFCR 16	20	16	180	30	11	15	0,287	TCMT 16T3	TC067 M3,5x8,5	T15
KA164	●	A20Q STFCR 16	25	20	180	32	13	18	0,440			
KA166	●	A25R STFCR 16	32	25	200	40	16	23	0,754			

90° STFCL IK



Sipariş Kodu Order Code Best.-Nr.	Stok/Stok/Lager	Ürün Kodu Product Code Produkt-Code	Ölçüler (mm) Dimensions(mm) Abmessungen (mm)							Kullanılan Uç Insert WSP	Sıkma Civatası Clamp Screw Torx-Schraube	Anahtar Torx Key Torx-Schlüssel
			Dmin	d	L	L1	f	h	kg			
KA184	●	A12K STFCL 11	16	12	125	25	9	11	0,053	TCMT 1102	TC060 M2,5x5,5	T8
KA185	●	A16Q STFCL 11	20	16	180	30	11	15	0,289			
KA186	●	A16Q STFCL 16	20	16	180	30	11	15	0,287	TCMT 16T3	TC067 M3,5x8,5	T15
KA187	●	A20Q STFCL 16	25	20	180	32	13	18	0,440			
KA188	●	A25R STFCL 16	32	25	200	40	16	23	0,754			


93° SDUCR IK



İçten Soğutmalı İç Çap Kater Boring Bars With Coolant

Sipariş Kodu Order Code Best.-Nr.	Stok/Stock/Lager	Ürün Kodu Product Code Produkt-Code	Ölçüler (mm) Dimensions(mm) Abmessungen (mm)							Kullanılan Uç Insert WSP	Sıkma Civatası Clamp Screw Torx-Schraube	Anahtar Torx Key Torx-Schlüssel
			Dmin	d	L	L1	f	h	kg			
KA120	●	A10J SDUCR 07	12	10	110	20	7	9	0,080	DC--0702	TC060 M2,5x5,5	T8
KA122	●	A12K SDUCR 07	16	12	125	25	9	11	0,120			
KA124	●	A14-16Q SDUCR 07	18	16	180	40	10,5	15	0,267			
KA126	●	A16Q SDUCR 07	20	16	180	30	11	15	0,263			
KA127	●	A16M SDUCR 07	20	16	150	30	11	15	0,250			
KA128	●	A16Q SDUCR 11	20	16	180	30	11	15	0,285	DC--11T3	TC067 M3,5x8,5	T15
KA129	●	A16M SDUCR 11	20	16	150	30	11	15	0,246			
KA130	●	A20Q SDUCR 11	25	20	180	32	13	18	0,432			
KA132	●	A25R SDUCR 11	32	25	200	40	17	23	0,746			
KA134	●	A32T SDUCR 11	40	32	300	45	22	30	1,924			


93° SDUCL IK



Sipariş Kodu Order Code Best.-Nr.	Stok/Stock/Lager	Ürün Kodu Product Code Produkt-Code	Ölçüler (mm) Dimensions(mm) Abmessungen (mm)							Kullanılan Uç Insert WSP	Sıkma Civatası Clamp Screw Torx-Schraube	Anahtar Torx Key Torx-Schlüssel
			Dmin	d	L	L1	f	h	kg			
KA250	●	A10J SDUCL 07	12	10	110	20	7	9	0,080	DC--0702	TC060 M2,5x5,5	T8
KA252	●	A12K SDUCL 07	16	12	125	25	9	11	0,120			
KA254	●	A14-16Q SDUCL 07	18	16	180	40	10,5	15	0,267			
KA256	●	A16Q SDUCL 07	20	16	180	30	11	15	0,263			
KA258	●	A16Q SDUCL 11	20	16	180	30	11	15	0,285			
KA259	●	A16M SDUCL 11	20	16	150	30	11	15	0,246	DC--11T3	TC067 M3,5x8,5	T15
KA260	●	A20Q SDUCL 11	25	20	180	32	13	18	0,432			
KA262	●	A25R SDUCL 11	32	25	200	40	17	23	0,746			
KA263	●	A32T SDUCL 11	40	32	300	45	22	30	1,924			


İçten Soğutmalı İç Çap Kater
Boring Bars With Coolant

107,5° SDQCR IK




Sipariş Kodu Order Code Best.-Nr.	Stok/Stock/Lager	Ürün Kodu Product Code Produkt-Code	Ölçüler (mm) Dimensions(mm) Abmessungen (mm)							Kullanılan Uç Insert WSP	Sıkma Civatası Clamp Screw Torx-Schraube	Anahtar Torx Key Torx-Schlüssel
			Dmin	d	L	L1	f	h				
KA140	●	A10J SDQCR 07	12	10	110	20	7	9	0,074	DC--0702	TC060 M2,5x5,5	T8
KA142	●	A12K SDQCR 07	16	12	125	25	9	11	0,110			
KA143	●	A16M SDQCR 07	20	16	150	30	11	15	0,232			
KA144	●	A16Q SDQCR 07	20	16	180	30	11	15	0,282			
KA146	●	A16Q SDQCR 11	20	16	180	30	11	15	0,275			
KA148	●	A20Q SDQCR 11	25	20	180	32	13	18	0,425	DC--11T3	TC067 M3,5x8,5	T15
KA150	●	A25R SDQCR 11	32	25	200	40	17	23	0,738			

107,5° SDQCL IK




Sipariş Kodu Order Code Best.-Nr.	Stok/Stock/Lager	Ürün Kodu Product Code Produkt-Code	Ölçüler (mm) Dimensions(mm) Abmessungen (mm)							Kullanılan Uç Insert WSP	Sıkma Civatası Clamp Screw Torx-Schraube	Anahtar Torx Key Torx-Schlüssel
			Dmin	d	L	L1	f	h				
KA270	●	A10J SDQCL 07	12	10	110	20	7	9	0,074	DC--0702	TC060 M2,5x5,5	T8
KA272	●	A12K SDQCL 07	16	12	125	25	9	11	0,110			
KA273	●	A16M SDQCL 07	20	16	150	30	11	15	0,232			
KA274	●	A16Q SDQCL 07	20	16	180	30	11	15	0,282			
KA276	●	A16Q SDQCL 11	20	16	180	30	11	15	0,275			
KA278	●	A20Q SDQCL 11	25	20	180	32	13	18	0,425	DC--11T3	TC067 M3,5x8,5	T15
KA280	●	A25R SDQCL 11	32	25	200	40	17	23	0,738			

93° SVUCR IK



Sipariş Kodu Order Code Best.-Nr.	Stok/Stok/Lager	Ürün Kodu Product Code Produkt-Code	Ölçüler (mm) Dimensions(mm) Abmessungen (mm)							Kullanılan Uç Insert WSP	Sıkma Civatası Clamp Screw Torx-Schraube	Anahtar Torx Key Torx-Schlüssel
			Dmin	d	L	L1	f	h	kg			
KA211	●	A16Q SVUCR 11	20	16	180	30	11	15	0,268	VCMT 1103	TC060 M2,5x5,5	T8
KA212	●	A20Q SVUCR 11	25	20	180	32	13	18	0,689			
KA213	●	A25R SVUCR 16	32	25	200	40	17	23	0,720	VCMT 1604	TC074 M4x10	T15
KA214	●	A32T SVUCR 16	40	32	300	50	22	30	1,812			


93° SVUCL IK



Sipariş Kodu Order Code Best.-Nr.	Stok/Stok/Lager	Ürün Kodu Product Code Produkt-Code	Ölçüler (mm) Dimensions(mm) Abmessungen (mm)							Kullanılan Uç Insert WSP	Sıkma Civatası Clamp Screw Torx-Schraube	Anahtar Torx Key Torx-Schlüssel
			Dmin	d	L	L1	f	h	kg			
KA300	●	A16Q SVUCL 11	20	16	180	30	11	15	0,268	VCMT 1103	TC060 M2,5x5,5	T8
KA302	●	A20Q SVUCL 11	25	20	180	32	13	18	0,689			
KA304	●	A25R SVUCL 16	32	25	200	40	17	23	0,720	VCMT 1604	TC074 M4x10	T15
KA306	●	A32T SVUCL 16	40	32	300	50	22	30	1,812			


İçten Soğutmalı İç Çap Kater
Boring Bars With Coolant

93° SVUBR IK




Sipariş Kodu Order Code Best.-Nr.	Stok/Stock/Lager	Ürün Kodu Product Code Produkt-Code	Ölçüler (mm) Dimensions(mm) Abmessungen (mm)							Kullanılan Uç Insert WSP	Sıkma Civatası Clamp Screw Torx-Schraube	Anahtar Torx Key Torx-Schlüssel
			Dmin	d	L	L1	f	h	KG			
KA208	●	A25R SVUBR 16	32	25	200	40	17	23	0,723	VBMT 1604	TC074 M4x10	T15
KA209	●	A32T SVUBR 16	40	32	300	50	22	30	1,909			

93° SVUBL IK



Sipariş Kodu Order Code Best.-Nr.	Stok/Stock/Lager	Ürün Kodu Product Code Produkt-Code	Ölçüler (mm) Dimensions(mm) Abmessungen (mm)							Kullanılan Uç Insert WSP	Sıkma Civatası Clamp Screw Torx-Schraube	Anahtar Torx Key Torx-Schlüssel
			Dmin	d	L	L1	f	h	KG			
KA286	●	A25R SVUBL 16	32	25	200	40	17	23	0,723	VBMT 1604	TC074 M4x10	T15
KA288	●	A32T SVUBL 16	40	32	300	50	22	30	1,909			


107,5° SVQCR IK



Sipariş Kodu Order Code Best.-Nr.	Stok/Stock/Lager	Ürün Kodu Product Code Produkt-Code	Ölçüler (mm) Dimensions(mm) Abmessungen (mm)							Kullanılan Uç Insert WSP	Sıkma Civatası Clamp Screw Torx-Schraube	Anahtar Torx Key Torx-Schlüssel
			Dmin	d	L	L1	f	h				
KA221	●	A16Q SVQCR 11	20	16	180	30	11	15	0,271			
KA222	●	A20Q SVQCR 11	25	20	180	30	13	18	1,752			




93° PDUNR




Sipariş Kodu Order Code Best.-Nr.	Stok/Stock/Lager	Ürün Kodu Product Code Produkt-Code	Ölçüler (mm) Dimensions(mm) Abmessungen (mm)							Kullanılan Uç Insert WSP	Sıkma Civatası Clamp Screw Klemm-Schraube	Altlık Shim U-Platte	Levye Sacı Lock Pin Rohrstift	Levye Lever Kniehebel	Anahtar Allen Key Inbuss-Schlüssel
			Dmin	d	L	L1	f	h							
P300	●	S25S PDUNR 15	32	25	250	50	17	23	0,930	DNMG 1506	TH6134A M6	---	---	TL4A	2,5 Allen
P302	●	S32T PDUNR 15	40	32	300	55	22	30	1,805		TH822 M8	TA014-1	TS-4	TL4B	3 Allen
P304	●	S40T PDUNR 15	50	40	300	55	27	38	2,790						

93° PDUNL




Sipariş Kodu Order Code Best.-Nr.	Stok/Stock/Lager	Ürün Kodu Product Code Produkt-Code	Ölçüler (mm) Dimensions(mm) Abmessungen (mm)							Kullanılan Uç Insert WSP	Sıkma Civatası Clamp Screw Klemm-Schraube	Altlık Shim U-Platte	Levye Sacı Lock Pin Rohrstift	Levye Lever Kniehebel	Anahtar Allen Key Inbuss-Schlüssel
			Dmin	d	L	L1	f	h							
P310	●	S25S PDUNL 15	32	25	250	50	17	23	0,930	DNMG 1506	TH6134A M6	---	---	TL4A	2,5 Allen
P312	●	S32T PDUNL 15	40	32	300	55	22	30	1,805		TH822 M8	TA014-1	TS-4	TL4B	3 Allen
P314	●	S40T PDUNL 15	50	40	300	55	27	38	2,790						

95° PCLNR




Sipariş Kodu Order Code Best.-Nr.	Stok/Stock/Lager	Ürün Kodu Product Code Produkt-Code	Ölçüler (mm) Dimensions(mm) Abmessungen (mm)							Kullanılan Uç Insert WSP	Sıkma Civatası Clamp Screw Klemm-Schraube	Altlık Shim U-Platte	Levye Sacı Lock Pin Rohrstift	Levye Lever Kniehebel	Anahtar Allen Key Inbuss-Schlüssel
			Dmin	d	L	L1	f	h	kg						
P338	●	S20R PCLNR 12	24	20	200	50	13	18	0,540	CNMG 1204	TH6134A M6	---	---	TL4A	2,5 Allen
P340	●	S25S PCLNR 12	32	25	250	50	17	23	0,978						
P342	●	S32T PCLNR 12	40	32	300	50	22	30	1,815						
P344	●	S40T PCLNR 12	50	40	300	55	27	38	1,825						

95° PCLNL




Sipariş Kodu Order Code Best.-Nr.	Stok/Stock/Lager	Ürün Kodu Product Code Produkt-Code	Ölçüler (mm) Dimensions(mm) Abmessungen (mm)							Kullanılan Uç Insert WSP	Sıkma Civatası Clamp Screw Klemm-Schraube	Altlık Shim U-Platte	Levye Sacı Lock Pin Rohrstift	Levye Lever Kniehebel	Anahtar Allen Key Inbuss-Schlüssel
			Dmin	d	L	L1	f	h	kg						
P348	●	S20R PCLNR 12	24	20	200	50	13	18	0,540	CNMG 1204	TH6134A M6	---	---	TL4A	2,5 Allen
P350	●	S25S PCLNL 12	32	25	250	50	17	23	0,978						
P352	●	S32T PCLNL 12	40	32	300	50	22	30	1,815						
P354	●	S40T PCLNL 12	50	40	300	55	27	38	1,825						

95° PWLNR 08




Sipariş Kodu Order Code Best.-Nr.	Stok/Stok/Lager	Ürün Kodu Product Code Produkt-Code	Ölçüler (mm) Dimensions(mm) Abmessungen (mm)							Kullanılan Uç Insert WSP	Sıkma Civatası Clamp Screw Klemm-Schraube	Altlık Shim U-Platte	Levye Sacı Lock Pin Rohrstift	Levye Lever Kniehebel	Anahtar Allen Key Inbuss-Schlüssel
			Dmin	d	L	L1	f	h	kg						
P360	●	S25S PWLNR 08	32	25	250	50	17	23	0,911	WNMG 0804	TH6134A M6	---	---	TL4A	2,5 Allen
P362	●	S32T PWLNR 08	40	32	300	60	22	30	1,764		TH821 M8	TA020-1	TS-4	TL4	3 Allen
P364	●	S40T PWLNR 08	50	40	300	60	27	38	2,450						

95° PWLNL 08




Sipariş Kodu Order Code Best.-Nr.	Stok/Stok/Lager	Ürün Kodu Product Code Produkt-Code	Ölçüler (mm) Dimensions(mm) Abmessungen (mm)							Kullanılan Uç Insert WSP	Sıkma Civatası Clamp Screw Klemm-Schraube	Altlık Shim U-Platte	Levye Sacı Lock Pin Rohrstift	Levye Lever Kniehebel	Anahtar Allen Key Inbuss-Schlüssel
			Dmin	d	L	L1	f	h	kg						
P370	●	S25S PWLNL 08	32	25	250	50	17	23	0,911	WNMG 0804	TH6134A M6	---	---	TL4A	2,5 Allen
P372	●	S32T PWLNL 08	40	32	300	60	22	30	1,764		TH821 M8	TA020-1	TS-4	TL4	3 Allen
P374	●	S40T PWLNL 08	50	40	300	60	27	38	2,450						

95° PWLNR 06




Sipariş Kodu Order Code Best.-Nr.	Stok/Stock/Lager	Ürün Kodu Product Code Produkt-Code	Ölçüler (mm) Dimensions(mm) Abmessungen (mm)							Kullanılan Uç Insert WSP	Sıkma Civatası Clamp Screw Klemm-Schraube	Levye Lever Kniehebel	Anahtar Allen Key Inbuss-Schlüssel
			Dmin	d	L	L1	f	h	kg				
P380	●	S16R PWLNR 06	20	16	200	40	11	15	0,316				
P382	●	S20R PWLNR 06	25	20	200	40	13	18	0,502	WNMG 0604	TH512 M5	TL3B	2 Allen

95° PWLNL 06




Sipariş Kodu Order Code Best.-Nr.	Stok/Stock/Lager	Ürün Kodu Product Code Produkt-Code	Ölçüler (mm) Dimensions(mm) Abmessungen (mm)							Kullanılan Uç Insert WSP	Sıkma Civatası Clamp Screw Klemm-Schraube	Levye Lever Kniehebel	Anahtar Allen Key Inbuss-Schlüssel
			Dmin	d	L	L1	f	h	kg				
P388	●	A16R PWLNL 06	20	16	200	40	11	15	0,316				
P390	●	A20R PWLNL 06	25	20	200	40	13	18	0,502	WNMG 0604	TH512 M5	TL3B	2 Allen

93° DDUNR




Sipariş Kodu Order Code Best.-Nr.	Stok/Stock/Lager	Ürün Kodu Product Code Produkt-Code	Ölçüler (mm) Dimensions(mm) Abmessungen (mm)							Kullanılan Uç Insert WSP	Baskı Cıvatası Locking Screw Verriegelungs Schraube	Altlık Shim U-Platte	Altlık Cıvatası Shim Screw U-Platte Schraube	Baskı Kepi Clamp Spannpratze	Yay Spring Feder	Pul Washer U-Scheibe	Anahtar Allen Key Inbuss-Schlüssel
			Dmin	d	L	L1	f	h	kg								
K408	●	S20R DDUNR 11	30	20	200	50	13	18	0,508	DN--1104	TC046 M5	TA030	TC075 M4x11	BK024	BY041	BSP031	3 Allen
K409	●	S25S DDUNR 11	32	25	250	50	17	23	0,956								
K410	●	S25S DDUNR 15	32	25	250	50	17	23	0,950								
K412	●	S32T DDUNR 15	40	32	300	55	22	30	1,835	DN--1506	TC044 M6	TA014-1	TC038 M4x10	BK020	BY040	BSP030	4 Allen
K414	●	S40T DDUNR 15	50	40	300	60	27	38	2,848								
K415	●	S40U DDUNR 15	50	40	350	60	27	38	3,336								
K416	●	S50U DDUNR 15	63	50	350	65	35	47	5,153								
K417	●	S50X DDUNR 15	63	50	550	65	35	47	8,716								
K417-1	●	S60X DDUNR 15	73	60	600	65	37,5	57	13,66	DN--1504	TC044 M6	TA014-1	TC038 M4x10	BK020	BY040	BSP030	4 Allen
K411	●	S25S DDUNR 15	32	25	250	50	17	23	0,958								
K413	●	S32T DDUNR 15	40	32	300	55	22	30	1,830								

93° DDUNL




Sipariş Kodu Order Code Best.-Nr.	Stok/Stock/Lager	Ürün Kodu Product Code Produkt-Code	Ölçüler (mm) Dimensions(mm) Abmessungen (mm)							Kullanılan Uç Insert WSP	Baskı Cıvatası Locking Screw Verriegelungs Schraube	Altlık Shim U-Platte	Altlık Cıvatası Shim Screw U-Platte Schraube	Baskı Kepi Clamp Spannpratze	Yay Spring Feder	Pul Washer U-Scheibe	Anahtar Allen Key Inbuss-Schlüssel
			Dmin	d	L	L1	f	h	kg								
K487	●	S20R DDUNL 11	30	20	200	50	13	18	0,508	DN--1104	TC046 M5	TA030	TC075 M4x11	BK024	BY041	BSP031	3 Allen
K488	●	S25S DDUNL 11	32	25	250	50	17	23	0,956								
K490	●	S25S DDUNL 15	32	25	250	50	17	23	0,950								
K492	●	S32T DDUNL 15	40	32	300	55	22	30	1,835	DN--1506	TC044 M6	TA014-1	TC038 M4x10	BK020	BY040	BSP030	4 Allen
K494	●	S40T DDUNL 15	50	40	300	60	27	38	2,848								
K495	●	S40U DDUNL 15	50	40	350	60	27	38	3,336								
K496	●	S50U DDUNL 15	63	50	350	65	35	47	5,153								

93° MDUNR




Sipariş Kodu Order Code Best.-Nr.	Stok/Stock/Lager	Ürün Kodu Product Code Produkt-Code	Ölçüler (mm) Dimensions(mm) Abmessungen (mm)							Kullanılan Uç Insert WSP	Baskı Civatası Locking Screw Verriegelungs Schraube	Pim Lock Pin Rohrstift	Baskı Kepi Clamp Spann pratze	Anahtar Allen Key Inbuss-Schlüs- sel
			Dmin	d	L	L1	f	h	kg					
K408-1	●	S20R MDUNR 11	25	20	200	50	13	18	0,508	DN-- 1104	TC046 M5	BSP021	BK017	3 Allen

62,5° DDWNR




Sipariş Kodu Order Code Best.-Nr.	Stok/Stock/Lager	Ürün Kodu Product Code Produkt-Code	Ölçüler (mm) Dimensions(mm) Abmessungen (mm)							Kullanılan Uç Insert WSP	Baskı Civatası Locking Screw Verriegelungs Schraube	Altık Shim U-Platte	Altık Civatası Shim Screw U-Platte Schraube	Baskı Kepi Clamp Spann pratze	Yay Spring Feder	Pul Washer U-Scheibe	Anahtar Allen Key Inbuss-Schlüs- sel
			Dmin	d	L	L1	f	h	kg								
K464	●	S32T DDWNR 15	40	32	300	55	24	30	1,859								
K466	●	S40T DDWNR 15	50	40	300	50	30	38	2,918	DN-- 1506	TC044 M6	TA014-1	TC038 M4x10	BK020	BY040	BSP030	4 Allen
K468	●	S50U DDWNR 15	63	50	350	60	35	47	5,298								

107,5° DDQNR




Sipariş Kodu Order Code Best.-Nr.	Stok/Stock/Lager	Ürün Kodu Product Code Produkt-Code	Ölçüler (mm) Dimensions (mm) Abmessungen (mm)							Kullanılan Uç Insert WSP	Baskı Civatası Locking Screw Verriegelungs Schraube	Altlık Shim U-Platte	Altlık Civatası Shim Screw U-Platte Schraube	Baskı Kepi Clamp Spannpratze	Yay Spring Feder	Pul Washer U-Scheibe	Anahtar Allen Key Inbuss-Schlüssel
			Dmin	d	L	L1	f	h	kg								
K476	●	S25S DDQNR 15	32	25	250	50	17	23	0,935	DN-- 1506	TC044 M6	TA014-1	TC038 M4x10	BK020	BY040	BSP030	4 Allen
K477	●	S32T DDQNR 15	40	32	300	60	22	30	1,805								
K478	●	S40T DDQNR 15	50	40	300	60	27	38	2,786								
K479	●	S50U DDQNR 15	63	50	350	65	35	47	5,166								

107,5° DDQNL




Sipariş Kodu Order Code Best.-Nr.	Stok/Stock/Lager	Ürün Kodu Product Code Produkt-Code	Ölçüler (mm) Dimensions (mm) Abmessungen (mm)							Kullanılan Uç Insert WSP	Baskı Civatası Locking Screw Verriegelungs Schraube	Altlık Shim U-Platte	Altlık Civatası Shim Screw U-Platte Schraube	Baskı Kepi Clamp Spannpratze	Yay Spring Feder	Pul Washer U-Scheibe	Anahtar Allen Key Inbuss-Schlüssel
			Dmin	d	L	L1	f	h	kg								
K533	●	S25S DDQNL 15	32	25	250	50	17	23	0,935	DN-- 1506	TC044 M6	TA014-1	TC038 M4x10	BK020	BY040	BSP030	4 Allen
K534	●	S32T DDQNL 15	40	32	300	60	22	30	1,805								
K535	●	S40T DDQNL 15	50	40	300	60	27	38	2,786								
K536	●	S50U DDQNL 15	63	50	350	65	35	47	5,166								

95° DCLNR




Sipariş Kodu Order Code Best.-Nr.	Stok/Stock/Lager	Ürün Kodu Product Code Produkt-Code	Ölçüler (mm) Dimensions (mm) Abmessungen (mm)							Kullanılan Uç Insert WSP	Baskı Cıvatası Locking Screw Verriegelungs Schraube	Altlık Shim U-Platte	Altlık Cıvatası Shim Screw U-Platte Schraube	Baskı Kepi Clamp Spannpratze	Yay Spring Feder	Pul Washer U-Scheibe	Anahtar Allen Key Inbuss-Schlüssel		
			Dmin	d	L	L1	f	h	kg										
K400	●	S25S DCLNR 12	32	25	250	50	17	23	0,964	CN-- 1204	TC044 M6	TA016	TC038 M4x10	BK020	BY040	BSP030	4 Allen		
K402	●	S32T DCLNR 12	40	32	300	60	22	30	1,867										
K404	●	S40T DCLNR 12	50	40	300	60	27	38	2,845										
K406	●	S50U DCLNR 12	63	50	350	60	35	47	5,166										
K370	●	S32U DCLNR 16	40	32	350	60	22	30	2,272			CN-- 1606	TA022	TC095 M5x11,8	BK018				
K371	●	S40U DCLNR 16	50	40	350	60	27	38	3,550										
K374	●	S40U DCLNR 19	50	40	350	60	27	38	3,503			CN-- 1906	TC048 M8	TA017	TC039 M6x12	BK025		BY044	BSP032
K375	●	S50V DCLNR 19	63	50	400	60	35	47	6,333										

95° DCLNL



Sipariş Kodu Order Code Best.-Nr.	Stok/Stock/Lager	Ürün Kodu Product Code Produkt-Code	Ölçüler (mm) Dimensions (mm) Abmessungen (mm)							Kullanılan Uç Insert WSP	Baskı Cıvatası Locking Screw Verriegelungs Schraube	Altlık Shim U-Platte	Altlık Cıvatası Shim Screw U-Platte Schraube	Baskı Kepi Clamp Spannpratze	Yay Spring Feder	Pul Washer U-Scheibe	Anahtar Allen Key Inbuss-Schlüssel
			Dmin	d	L	L1	f	h	kg								
K480	●	S25S DCLNL 12	32	25	250	50	17	23	0,964	CN-- 1204	TC044 M6	TA016	TC038 M4x10	BK020	BY040	BSP030	4 Allen
K482	●	S32T DCLNL 12	40	32	300	60	22	30	1,867								
K484	●	S40T DCLNL 12	50	40	300	60	27	38	2,845								
K486	●	S50U DCLNL 12	63	50	350	60	35	47	5,166								


75° DCKNR



Sipariş Kodu Order Code Best.-Nr.	Stok/Stok/Lager	Ürün Kodu Product Code Produkt-Code	Ölçüler (mm) Dimensions (mm) Abmessungen (mm)							Kullanılan Uç Insert WSP	Baskı Cıvatası Locking Screw Verriegelungs Schraube	Altlık Shim U-Platte	Altlık Cıvatası Shim Screw U-Platte Schraube	Baskı Kepi Clamp Spannpratze	Yay Spring Feder	Pul Washer U-Scheibe	Anahtar Allen Key Inbusschlüssel
			Dmin	d	L	L1	f	h	🔧								
K401	●	S25S DCKNR 12	32	25	250	55	17	23	0,955	CN--1204	TC044 M6	TA016	TC038 M4x10	BK020	BY040	BSP030	4 Allen
K403	●	S32T DCKNR 12	40	32	300	60	22	30	0,966								
K405	●	S40T DCKNR 12	50	40	300	65	27	38	1,837								




95° DWLNR




Sipariş Kodu Order Code Best.-Nr.	Stok/Stock/Lager	Ürün Kodu Product Code Produkt-Code	Ölçüler (mm) Dimensions(mm) Abmessungen (mm)							Kullanılan Uç Insert WSP	Baskı Cıvatası Locking Screw Verriegelungs Schraube	Altlık Shim U-Platte	Altlık Cıvatası Shim Screw U-Platte Schraube	Baskı Kepi Clamp Spann pratze	Yay Spring Feder	Pul Washer U-Scheibe	Anahtar Allen Key Inbuss-Schlüssel
			D _{min}	d	L	L1	f	h	kg								
K418	●	S25S DWLNR 06	32	25	250	50	17	23	0,955	WN--0604	TC046 M5	TA021	TC034 M3x7	BK024	BY041	BSP031	3 Allen
K420	●	S25S DWLNR 08	32	25	250	50	17	23	0,966								
K422	●	S32T DWLNR 08	40	32	300	60	22	30	1,837								
K424	●	S40T DWLNR 08	50	40	300	60	27	38	2,820								
K426	●	S50U DWLNR 08	63	50	350	75	35	47	5,123								
										WN--0804	TC044 M6	TA020-1	TC083 M5x12	BK020	BY040	BSP030	4 Allen

95° DWLNL




Sipariş Kodu Order Code Best.-Nr.	Stok/Stock/Lager	Ürün Kodu Product Code Produkt-Code	Ölçüler (mm) Dimensions(mm) Abmessungen (mm)							Kullanılan Uç Insert WSP	Baskı Cıvatası Locking Screw Verriegelungs Schraube	Altlık Shim U-Platte	Altlık Cıvatası Shim Screw U-Platte Schraube	Baskı Kepi Clamp Spann pratze	Yay Spring Feder	Pul Washer U-Scheibe	Anahtar Allen Key Inbuss-Schlüssel
			D _{min}	d	L	L1	f	h	kg								
K498	●	S25S DWLNL 06	32	25	250	50	17	23	0,955	WN--0604	TC046 M5	TA021	TC034 M3x7	BK024	BY041	BSP031	3 Allen
K500	●	S25S DWLNL 08	32	25	250	50	17	23	0,966								
K502	●	S32T DWLNL 08	40	32	300	60	22	30	1,837								
K504	●	S40T DWLNL 08	50	40	300	60	27	38	2,820								
K506	●	S50U DWLNL 08	63	50	350	75	35	47	5,123								
										WN--0804	TC044 M6	TA020-1	TC083 M5x12	BK020	BY040	BSP030	4 Allen

95° MWLNR




Sipariş Kodu Order Code Best.-Nr.	Stok/Stock/Lager	Ürün Kodu Product Code Produkt-Code	Ölçüler (mm) Dimensions(mm) Abmessungen (mm)							Kullanılan Uç Insert WSP	Baskı Civatası Locking Screw Verriegelungs Schraube	Altlık Shim U-Platte	Altlık Pimi Lock Pin Rohrstift	Baskı Kepi Clamp Spann pratze	Yay Spring Feder	Pul Washer U-Scheibe	Anahtar Allen Key Inbuss-Schlüssel
			Dmin	d	L	L1	f	h	kg								
K427	●	S16Q MWLNR 06	20	16	180	40	11	15	0,286	WN--0604	TC046 M5	--	BSP020	BK019	BY041	--	3 Allen
K427-1	●	S20R MWLNR 06	25	20	200	50	13	18	0,502								
K428	●	S25S MWLNR 08	32	25	250	45	17	23	0,945	WN--0804	TC044 M6	TA020	BSP021	BK026	BY040	BSP030	4 Allen
K430	●	S32T MWLNR 08	40	32	300	60	22	30	1,833								
K432	●	S40T MWLNR 08	50	40	300	60	27	38	2,841								
K434	●	S50U MWLNR 08	63	50	350	65	35	47	5,110								

95° MWLNL




Si- pariş Kodu Order Code Best.-Nr.	Stok/Stock/Lager	Ürün Kodu Product Code Produkt-Code	Ölçüler (mm) Dimensions(mm) Abmessungen (mm)							Kullanılan Uç Insert WSP	Baskı Civatası Locking Screw Verriegelungs Schraube	Altlık Shim U-Platte	Altlık Pimi Lock Pin Rohrstift	Baskı Kepi Clamp Spann pratze	Yay Spring Feder	Pul Washer U-Scheibe	Anahtar Allen Key Inbuss-Schlüssel
			Dmin	d	L	L1	f	h	kg								
K510	●	S25S MWLNL 08	32	25	250	45	17	23	0,945	WN--0804	TC044 M6	TA020	BSP021	BK026	BY040	BSP030	4 Allen
K512	●	S32T MWLNL 08	40	32	300	60	22	30	1,833								
K514	●	S40T MWLNL 08	50	40	300	60	27	38	2,841								
K516	●	S50U MWLNL 08	63	50	350	65	35	47	5,110								

93° MTUNR




Sipariş Kodu Order Code Best.-Nr.	Stok/Stock/Lager	Ürün Kodu Product Code Produkt-Code	Ölçüler (mm) Dimensions(mm) Abmessungen (mm)							Kullanılan Uç Insert WSP	Baskı Civatası Locking Screw Verriegelungs Schraube	Altık Shim U-Platte	Altık Pimi Lock Pin Rohrstift	Baskı Kepi Clamp Spann pratze	Yay Spring Feder	Pul Washer U-Scheibe	Anahtar Allen Key Inbuss-Schlüssel
			Dmin	d	L	L1	f	h	ISO								
K441	●	S20R MTUNR 16	25	20	200	50	13	18	0,513	TNMG 1604	TC046 M5	TA019	BSP020	BK017	BY043	BSP031	3 Allen
K442	●	S25S MTUNR 16	32	25	250	50	17	23	0,952								
K444	●	S32T MTUNR 16	40	32	300	60	22	30	1,835								
K446	●	S40T MTUNR 16	50	40	300	60	27	38	2,852								
K448	●	S50U MTUNR 16	63	50	350	65	35	47	5,150	TNMG 2204	TC044 M6	TA045	BSP021	BK023	BY040	BSP030	4 Allen
K450	●	S32T MTUNR 22	40	32	300	60	22	30	1,836								
K452	●	S40T MTUNR 22	50	40	300	60	27	38	2,814								
K454	●	S50U MTUNR 22	63	50	350	65	35	47	5,145								

93° MTUNL



Sipariş Kodu Order Code Best.-Nr.	Stok/Stock/Lager	Ürün Kodu Product Code Produkt-Code	Ölçüler (mm) Dimensions(mm) Abmessungen (mm)							Kullanılan Uç Insert WSP	Baskı Civatası Locking Screw Verriegelungs Schraube	Altık Shim U-Platte	Altık Pimi Lock Pin Rohrstift	Baskı Kepi Clamp Spann pratze	Yay Spring Feder	Pul Washer U-Scheibe	Anahtar Allen Key Inbuss-Schlüssel
			Dmin	d	L	L1	f	h	ISO								
K519	●	S20R MTUNL 16	25	20	200	30	13	18	0,513	TNMG 1604	TC046 M5	TA019	BSP020	BK017	BY043	BSP031	3 Allen
K520	●	S25S MTUNL 16	32	25	250	50	17	23	0,952								
K522	●	S32T MTUNL 16	40	32	300	60	22	30	1,835								
K524	●	S40T MTUNL 16	50	40	300	60	27	38	2,852								
K526	●	S50U MTUNL 16	63	50	350	65	35	47	5,150	TNMG 2204	TC044 M6	TA045	BSP021	BK023	BY040	BSP030	4 Allen
K528	●	S32T MTUNL 22	40	32	300	60	22	30	1,836								
K530	●	S40T MTUNL 22	50	40	300	60	27	38	2,814								
K532	●	S50U MTUNL 22	63	50	350	65	35	47	5,145								


60° MTENR



Sipariş Kodu Order Code Best.-Nr.	Stok/Stock/Lager	Ürün Kodu Product Code Produkt-Code	Ölçüler (mm) Dimensions (mm) Abmessungen (mm)							Kullanılan Uç Insert WSP	Baskı Civatası Locking Screw Verriegelungs-Schraube	Altılık Shim U-Platte	Altılık Pimi Lock Pin Rohrstift	Baskı Kepi Clamp Spannpratze	Yay Spring Feder	Pul Washer U-Scheibe	Anahtar Allen Key Inbuss-Schlüssel
			Dmin	d	L	L1	f	h									
K456	●	S25S MTENR 16	32	25	250	55	17	23	0,960	TNMG1604		TA019	BSP 020	BK022	BY043	BSP031	3 Allen
K458	●	S32T MTENR 16	40	32	300	60	22	30	1,842								
K460	●	S40T MTENR 16	50	40	300	60	27	38	2,802								
K462	●	S50U MTENR 16	63	50	350	70	35	47	5,125								




107,5° MTQNR




Sipariş Kodu Order Code Best.-Nr.	Stok/Stock/Lager	Ürün Kodu Product Code Produkt-Code	Ölçüler (mm) Dimensions(mm) Abmessungen (mm)							Kullanılan Uç Insert WSP	Baskı Civatası Locking Screw Verriegelungs Schraube	Altlık Shim U-Platte	Altlık Pimi Lock Pin Rohrstift	Baskı Kepi Clamp Spann pratze	Yay Spring Feder	Pul Washer U-Scheibe	Anahtar Allen Key Inbuss-Schlüssel
			Dmin	d	L	L1	f	h	kg								
K365	●	S25S MTQNR 16	32	25	250	50	17	23	0,942	TNMG 1604	TC046 M5	TA019	BSP020	BK022	BY043	BSP031	3 Allen
K366	●	S32T MTQNR 16	40	32	300	60	22	30	1,821								
K367	●	S40T MTQNR 16	50	40	300	60	27	38	2,807								
K368	●	S50U MTQNR 16	63	50	350	65	35	47	5,121								

107,5° MTQNL



Sipariş Kodu Order Code Best.-Nr.	Stok/Stock/Lager	Ürün Kodu Product Code Produkt-Code	Ölçüler (mm) Dimensions(mm) Abmessungen (mm)							Kullanılan Uç Insert WSP	Baskı Civatası Locking Screw Verriegelungs Schraube	Altlık Shim U-Platte	Altlık Pimi Lock Pin Rohrstift	Baskı Kepi Clamp Spann pratze	Yay Spring Feder	Pul Washer U-Scheibe	Anahtar Allen Key Inbuss-Schlüssel
			Dmin	d	L	L1	f	h	kg								
K537	●	S25S MTQNL 16	32	25	250	50	17	23	0,942	TNMG 1604	TC046 M5	TA019	BSP020	BK022	BY043	BSP031	3 Allen
K538	●	S32T MTQNL 16	40	32	300	60	22	30	1,821								
K539	●	S40T MTQNL 16	50	40	300	60	27	38	2,807								
K540	●	S50U MTQNL 16	63	50	350	65	35	47	5,121								


93° CKUNR



Sipariş Kodu Order Code Best-Nr.	Stok/Stock/Lager	Ürün Kodu Product Code Produkt-Code	Ölçüler (mm) Dimensions(mm) Abmessungen (mm)							Kullanılan Uç Insert WSP	Baskı Civatası Locking Screw Verriegelungs Schraube	Altlık Shim U-Platte	Altlık Civatası Shim Screw U-Platte Schraube	Baskı Kepi Clamp Spannpratze	Yay Spring Feder	Pul Washer U-Scheibe	Anahtar Allen Key Inbuss-Schlüssel
			Dmin	d	L	L1	f	h	kg								
K750	●	S25T CKUNR 16	32	25	300	52	19	23	1,400	KNUX 1604	TC044 M6	TA048	TC036 M3x10	BK030	BY042	BSP030	4 Allen
K754	●	S32U CKUNR 16	40	32	350	52	21	30	2,264								
K756	●	S40V CKUNR 16	50	40	400	55	27	38	3,999								
K758	●	S45V CKUNR 16	54	45	400	60	29	41	4,924								
K760	●	S50W CKUNR 16	63	50	450	60	35	47	0,408								

İç Çap Dış Kateri/R


Internal Threading Toolholders/R



Sipariş Kodu Order Code Best.-Nr.	Stok/Stock/Lager	Ürün Kodu Product Code Produkt-Code	Ölçüler (mm) Dimensions(mm) Abmessungen (mm)							Kullanılan Uç Insert WSP	Sıkma Civatası Clamp Screw Torx-Schraube	Anahtar Torx Key Torx-Schlüssel
			Dmin	d	L	L1	f	h	☺			
K348	●	S10J STIR- IR11	12	10	110	20	6	9	0,079	11 IR	TC060 M2,5x5,5	T8
K350	●	S12K STIR- IR11	14	12	125	25	7,2	11	0,117			
K352	●	S16Q STIR- IR16	20	16	180	40	11	15	0,286	16 IR	TC069 M3,5x8,5	T10
K354	●	S20Q STIR- IR16	25	20	180	40	13	18	0,436			
K356	●	S25R STIR- IR16	29	25	200	40	16	23	0,762			
K358	●	S32T STIR- IR16	36	32	300	60	19,5	30	1,829	22 IR	TC075 M4x11	T15
K358-1	●	S20Q STIR- IR22	24	20	180	40	14	18	0,431			
K359	●	S25R STIR- IR22	32	25	200	40	17	23	0,757			
K360	●	S32T STIR- IR22	36	32	300	60	19,5	30	1,818			
K360-1	●	S40T STIR- IR22	45	40	300	60	24,5	38	2,831			

İç Çap Dış Kateri/L

Internal Threading Toolholders/L





Sipariş Kodu Order Code Best.-Nr.	Stok/Stock/Lager	Ürün Kodu Product Code Produkt-Code	Ölçüler (mm) Dimensions(mm) Abmessungen (mm)							Kullanılan Uç Insert WSP	Sıkma Civatası Clamp Screw Torx-Schraube	Anahtar Torx Key Torx-Schlüssel
			Dmin	d	L	L1	f	h	☺			
K360-2	●	S10J STIL-ER11	12	10	110	20	6	9	0,079	11 IR	TC060 M2,5x5,5	T8
K361	●	S16Q STIL-ER16	20	16	180	40	11	15	0,286			
K362	●	S20Q STIL-ER16	25	20	180	40	13	18	0,436	16 ER	TC069 M3,5x8,5	T10
K363	●	S25R STIL-ER16	29	25	200	40	16	23	0,762			

● Stokta/ In Stock/ Lager ○ Sınırlı Stok/ Limited Stock/ Begrenzte Lagerhaltung

İç Çap Diş Kateri/R



Internal Threading Toolholders/R



Sipariş Kodu Order Code Best.-Nr.	Stok/Stock/Lager	Ürün Kodu Product Code Produkt-Code	Ölçüler (mm) Dimensions(mm) Abmessungen (mm)								Kullanılan Uç Insert WSP	Sıkma Cıvatası Clamp Screw Torx-Schraube	Altlık Shim U-Platte	Pul Washer U-Scheibe	Altlık Cıvatası Shim Screw U-Platte Schraube	Anahtar Torx Key Torx-Schlüssel
			Dmin	d	L	L1	f	h	🔧							
K338	●	S20Q TTIR- IR16	24	20	180	40	13,4	18	0,445	16 IR	TC070 M3,5x8,5	TA060	BSP010	TC062 M3	T10	
K339	●	S25R TTIR- IR16	29	25	200	45	16,1	23	0,765							
K340	●	S32T TTIR- IR16	39	32	300	60	21,5	30	1,838							
K341	●	S40T TTIR- IR16	45	40	300	60	24,5	38	2,839							
K343	●	S25R TTIR- IR22	30	25	200	45	16,1	23	0,764	22 IR	TC076 M4x12,5	TA063	BSP010	TC062 M3	T15	
K344	●	S32T TTIR- IR22	39	32	300	40	22	30	1,827							
K345	●	S40T TTIR- IR22	50	40	300	60	24,5	38	2,842							


İç Çap Diş Kateri/L

Internal Threading Toolholders/L




Sipariş Kodu Order Code Best.-Nr.	Stok/Stock/Lager	Ürün Kodu Product Code Produkt-Code	Ölçüler (mm) Dimensions(mm) Abmessungen (mm)								Kullanılan Uç Insert WSP	Sıkma Cıvatası Clamp Screw Torx-Schraube	Altlık Shim U-Platte	Pul Washer U-Scheibe	Altlık Cıvatası Shim Screw U-Platte Schraube	Anahtar Torx Key Torx-Schlüssel
			Dmin	d	L	L1	f	h	🔧							
K330	●	S20Q TTIL- ER16	24	20	180	40	13,4	18	0,445	16 ER	TC070 M3,5x8,5	TA061	BSP010	TC062 M3	T10	
K331	●	S25R TTIL- ER16	29	25	200	45	16,1	23	0,765							
K332	●	S32T TTIL- ER16	39	32	300	60	21,5	30	1,838							
K333	●	S40T TTIL- ER16	45	40	300	60	24,5	38	2,839							
K334	●	S25R TTIL- ER22	30	25	200	45	16,1	23	0,764	22 ER	TC076 M4x12,5	TA062	BSP010	TC062 M3	T15	
K335	●	S32T TTIL- ER22	39	32	300	40	22	30	1,827							
K336	●	S40T TTIL- ER22	50	40	300	60	24,5	38	2,842							

95° SCLCR




Sipariş Kodu Order Code Best.-Nr.	Stok/Stock/Lager	Ürün Kodu Product Code Produkt-Code	Ölçüler (mm) Dimensions(mm) Abmessungen (mm)							Kullanılan Uç Insert WSP	Sıkma Civatası Clamp Screw Torx-Schraube	Anahtar Torx Key Torx-Schlüssel
			Dmin	d	L	L1	f	h	ISO			
K097	●	S05-08H SCLCR 03	5	8	100	15	2,5	7	0,046	CC-- 0301	TC090 M1,6	T6
K098	●	S06-08H SCLCR 03	6	8	100	18	3	7	0,048			
K099	●	S07-08H SCLCR 04	7	8	100	21	3,5	7	0,050			

95° SCLCR




Sipariş Kodu Order Code Best.-Nr.	Stok/Stock/Lager	Ürün Kodu Product Code Produkt-Code	Ölçüler (mm) Dimensions(mm) Abmessungen (mm)							Kullanılan Uç Insert WSP	Sıkma Civatası Clamp Screw Torx-Schraube	Anahtar Torx Key Torx-Schlüssel			
			Dmin	d	L	L1	f	h	ISO						
K100	●	S06-08H SCLCR 06	10	8	100	25	4,3	7	0,052	CC-- 0602	TC060 M2,5x5,5	T8			
K102	●	S08H SCLCR 06	10	8	100	16	5,5	7	0,053						
K104	●	S10J SCLCR 06	12	10	110	20	6	9	0,080						
K105	●	S10K SCLCR 06	12	10	125	20	6	9	0,085						
K106	●	S12K SCLCR 06	16	12	125	25	9	11	0,120						
K107	●	S12Q SCLCR 06	16	12	180	25	9	11	0,170						
K107-1	●	S12K SCLCR 09	16	12	125	24	9	11	0,271						
K108	●	S14-16Q SCLCR 09	18	16	180	45	9,5	15	0,285	CC--09T3	TC067 M3,5x8,5	T15			
K110	●	S16Q SCLCR 09	20	16	180	30	11	15	0,317						
K111	●	S16R SCLCR 09	20	16	200	30	11	15	0,329						
K112	●	S18-20Q SCLCR 09	21	20	180	38	11	18	0,436						
K114	●	S20Q SCLCR 09	25	20	180	40	11	18	0,612						
K115	●	S20S SCLCR 09	25	20	250	40	13	18	0,780						
K116	●	S25R SCLCR 09	32	25	200	40	17	23	0,694						
K117	●	S25T SCLCR 09	32	25	300	40	17	23	1,165						
K116-1	●	S25S SCLCR 12	32	25	250	45	17	23	0,965				CC--1204	TC083 M5x12	T20

95° SCLCL




Sipariş Kodu Order Code Best.-Nr.	Stok/Stock/Lager	Ürün Kodu Product Code Produkt-Code	Ölçüler (mm) Dimensions(mm) Abmessungen (mm)							Kullanılan Uç Insert WSP	Sıkma Cıvatası Clamp Screw Torx-Schraube	Anahtar Torx Key Torx-Schlüssel
			Dmin	d	L	L1	f	h				
K230	●	S06-08H SCLCL 06	9	8	100	25	4,3	7	0,052	CC-- 0602	TC060 M2,5x5,5	T8
K232	●	S08H SCLCL 06	10	8	100	16	5,5	7	0,053			
K234	●	S10J SCLCL 06	12	10	110	20	6	9	0,080			
K236	●	S12K SCLCL 06	16	12	125	25	9	11	0,120			
K238	●	S14-16Q SCLCL 09	18	16	180	45	9,5	15	0,271	CC--09T3	TC067 M3,5x8,5	T15
K240	●	S16Q SCLCL 09	20	16	180	30	11	15	0,285			
K241	●	S16R SCLCL 09	20	16	200	30	11	15	0,317			
K244	●	S20Q SCLCL 09	25	20	180	40	13	18	0,436			
K245	●	S20S SCLCL 09	25	20	250	40	13	18	0,612			
K246	●	S25R SCLCL 09	32	25	200	40	17	23	0,780			

93° SDUCR




Sipariş Kodu Order Code Best.-Nr.	Stok/Stock/Lager	Ürün Kodu Product Code Produkt-Code	Ölçüler (mm) Dimensions(mm) Abmessungen (mm)							Kullanılan Uç Insert WSP	Sıkma Civatası Clamp Screw Torx-Schraube	Anahtar Torx Key Torx-Schlüssel
			Dmin	d	L	L1	f	h	KG			
K120	●	S10J SDUCR 07	12	10	110	20	7	9	0,080	DC-- 0702	TC060 M2,5x5,5	T8
K122	●	S12K SDUCR 07	16	12	125	25	9	11	0,120			
K123	●	S12Q SDUCR 07	16	12	180	25	9	11	0,170			
K124	●	S14-16Q SDUCR 07	18	16	180	40	11	15	0,266			
K126	●	S16Q SDUCR 07	20	16	180	30	11	15	0,292			
K125	●	S14-16Q SDUCR 11	18	16	180	45	11	15	0,272	DC--11T3	TC067 M3,5x8,5	T15
K128	●	S16Q SDUCR 11	20	16	180	30	11	15	0,285			
K130	●	S20Q SDUCR 11	25	20	180	32	13	18	0,435			
K132	●	S25R SDUCR 11	32	25	200	40	17	23	0,748			
K134	●	S32T SDUCR 11	40	32	300	45	22	30	1,833			

93° SDUCL




Sipariş Kodu Order Code Best.-Nr.	Stok/Stock/Lager	Ürün Kodu Product Code Produkt-Code	Ölçüler (mm) Dimensions(mm) Abmessungen (mm)							Kullanılan Uç Insert WSP	Sıkma Civatası Clamp Screw Torx-Schraube	Anahtar Torx Key Torx-Schlüssel
			Dmin	d	L	L1	f	h	KG			
K250	●	S10J SDUCL 07	12	10	110	20	7	9	0,080	DC-- 0702	TC060 M2,5x5,5	T8
K252	●	S12K SDUCL 07	16	12	125	25	9	11	0,120			
K254	●	S14-16Q SDUCL 07	18	16	180	40	10,5	15	0,266			
K256	●	S16Q SDUCL 07	20	16	180	30	11	15	0,292			
K258	●	S16Q SDUCL 11	20	16	180	30	11	15	0,285			
K260	●	S20Q SDUCL 11	25	20	180	32	13	18	0,435	DC--11T3	TC067 M3,5x8,5	T15
K262	●	S25R SDUCL 11	32	25	200	40	17	23	0,748			
K263	●	S32T SDUCL 11	40	32	300	45	22	30	1,833			

107,5° SDQCR




Sipariş Kodu Order Code Best.-Nr.	Stok/Stock/Lager	Ürün Kodu Product Code Produkt-Code	Ölçüler (mm) Dimensions(mm) Abmessungen (mm)							Kullanılan Uç Insert WSP	Sıkma Civatası Clamp Screw Torx-Schraube	Anahtar Torx Key Torx-Schlüssel
			Dmin	d	L	L1	f	h	kg			
K140	●	S10J SDQCR 07	12	10	110	20	7	9	0,080	DC--0702	TC060 M2,5x5,5	T8
K142	●	S12K SDQCR 07	16	12	125	25	9	11	0,120			
K144	●	S16Q SDQCR 07	20	16	180	30	11	15	0,292			
K146	●	S16Q SDQCR 11	20	16	180	30	11	15	0,285	DC--11T3	TC067 M3,5x8,5	T15
K148	●	S20Q SDQCR 11	25	20	180	32	13	18	0,435			
K150	●	S25R SDQCR 11	32	25	200	40	17	23	0,748			
K152	●	S32T SDQCR 11	40	32	300	50	22	30	1,833			
K154	●	S40T SDQCR 11	50	40	300	50	27	38	0,268			

107,5° SDQCL




Sipariş Kodu Order Code Best.-Nr.	Stok/Stock/Lager	Ürün Kodu Product Code Produkt-Code	Ölçüler (mm) Dimensions(mm) Abmessungen (mm)							Kullanılan Uç Insert WSP	Sıkma Civatası Clamp Screw Torx-Schraube	Anahtar Torx Key Torx-Schlüssel
			Dmin	d	L	L1	f	h	kg			
K270	●	S10J SDQCL 07	12	10	110	20	7	9	0,080	DC--0702	TC060 M2,5x5,5	T8
K272	●	S12K SDQCL 07	16	12	125	25	9	11	0,120			
K274	●	S16Q SDQCL 07	20	16	180	30	11	15	0,292			
K276	●	S16Q SDQCL 11	20	16	180	30	11	15	0,285	DC--11T3	TC067 M3,5x8,5	T15
K278	●	S20Q SDQCL 11	25	20	180	32	13	18	0,435			
K280	●	S25R SDQCL 11	32	25	200	40	17	23	0,748			
K281	●	S32T SDQCL 11	40	32	300	50	22	30	1,833			

120° SDXCR




Sipariş Kodu Order Code Best.-Nr.	Stok/Stok/Lager	Ürün Kodu Product Code Produkt-Code	Ölçüler (mm) Dimensions(mm) Abmessungen (mm)							Kullanılan Uç Insert WSP	Sıkma Civatası Clamp Screw Torx-Schraube	Anahtar Torx Key Torx-Schlüssel
			Dmin	d	L	L1	f	h	KG			
K469	●	S10J SDXCR 07	12	10	110	25	5,5	9	0,080	DC-- 0702	TC060 M2,5x5,5	T8
K470	●	S12K SDXCR 07	16	12	125	30	9	11	0,120			
K471	●	S16Q SDXCR 11	20	16	180	40	11	15	0,285	DC--11T3	TC067 M3,5x8,5	T15
K472	●	S20Q SDXCR 11	25	20	180	40	13	18	0,435			
K473	●	S25R SDXCR 11	32	25	200	50	13,5	23	0,748			
K474	●	S32T SDXCR 11	40	32	300	55	17	30	1,833			
K475	●	S40T SDXCR 11	50	40	300	55	21	38	0,268			

62,5° SD-CR




Sipariş Kodu Order Code Best.-Nr.	Stok/Stok/Lager	Ürün Kodu Product Code Produkt-Code	Ölçüler (mm) Dimensions(mm) Abmessungen (mm)							Kullanılan Uç Insert WSP	Sıkma Civatası Clamp Screw Torx-Schraube	Anahtar Torx Key Torx-Schlüssel
			Dmin	d	L	L1	f	h	KG			
K168	●	S10J SD-CR 07	14	10	110	25	8,2	9	0,082	DC-- 0702	TC060 M2,5x5,5	T8
K170	●	S12K SD-CR 07	16	12	125	25	9	11	0,122			
K173	●	S16Q SD-CR 07	20	16	180	35	12	15	0,280			
K172	●	S16Q SD-CR 11	23	16	180	32	14	15	0,288	DC--11T3	TC067 M3,5x8,5	T15
K174	●	S20Q SD-CR 11	25	20	180	35	15	18	0,443			
K176	●	S25R SD-CR 11	32	25	200	45	17	23	0,771			
K178	●	S32T SD-CR 11	40	32	300	55	23	30	1,865			

5° SDZCR




Sipariş Kodu Order Code Best.-Nr.	Stok/Stock/Lager	Ürün Kodu Product Code Produkt-Code	Ölçüler (mm) Dimensions(mm) Abmessungen (mm)							Kullanılan Uç Insert WSP	Sıkma Civatası Clamp Screw Torx-Schraube	Anahtar Torx Key Torx-Schlüssel
			Dmin	d	L	L1	f	h	kg			
K190	●	S12K SDZCR 07	18	12	125	20	11	11	0,128	DC--0702	TC060 M2,5x5,5	T8
K192	●	S16Q SDZCR 11	23	16	180	25	14	15	0,302			
K194	●	S20Q SDZCR 11	30	20	180	32	19	18	0,498			
K196	●	S25R SDZCR 11	35	25	200	32	22	23	0,816			

60° ST-CR




Sipariş Kodu Order Code Best.-Nr.	Stok/Stock/Lager	Ürün Kodu Product Code Produkt-Code	Ölçüler (mm) Dimensions(mm) Abmessungen (mm)							Kullanılan Uç Insert WSP	Sıkma Civatası Clamp Screw Torx-Schraube	Anahtar Torx Key Torx-Schlüssel
			Dmin	d	L	L1	f	h	kg			
K180	●	S16Q ST-CR 16	20	16	180	40	11	15	0,817	TC--16T3	TC067 M3,5x8,5	T15
K182	●	S20Q ST-CR 16	25	20	180	40	13	18	0,432			
K183	●	S25R ST-CR 16	32	25	200	50	17	23	0,772			
K183-1	●	S32T ST-CR 16	30	32	300	60	22	30	1,961			

90° STFCR




Sipariş Kodu Order Code Best.-Nr.	Stok/Stok/Lager	Ürün Kodu Product Code Produkt-Code	Ölçüler (mm) Dimensions(mm) Abmessungen (mm)							Kullanılan Uç Insert WSP	Sıkma Cıvatası Clamp Screw Torx-Schraube	Anahtar Torx Key Torx-Schlüssel
			Dmin	d	L	L1	f	h	kg			
K160	●	S12K STFCR 11	16	12	125	25	9	11	0,118	TCMT 1102	TC060 M2,5x5,5	T8
K161	●	S16Q STFCR 11	20	16	180	30	11	15	0,290			
K162	●	S16Q STFCR 16	20	16	180	30	11	15	0,287	TCMT 16T3	TC067 M3,5x8,5	T15
K164	●	S20Q STFCR 16	25	20	180	32	13	18	0,440			
K166	●	S25R STFCR 16	32	25	200	40	16	23	0,773			

90° STFCL




Sipariş Kodu Order Code Best.-Nr.	Stok/Stok/Lager	Ürün Kodu Product Code Produkt-Code	Ölçüler (mm) Dimensions(mm) Abmessungen (mm)							Kullanılan Uç Insert WSP	Sıkma Cıvatası Clamp Screw Torx-Schraube	Anahtar Torx Key Torx-Schlüssel
			Dmin	d	L	L1	f	h	kg			
K184	●	S12K STFCL 11	16	12	125	25	9	11	0,118	TCMT 1102	TC060 M2,5x5,5	T8
K185	●	S16Q STFCL 11	20	16	180	30	11	15	0,290			
K186	●	S16Q STFCL 16	20	16	180	30	11	15	0,287	TCMT 16T3	TC067 M3,5x8,5	T15
K187	●	S20Q STFCL 16	25	20	180	32	13	18	0,440			
K188	●	S25R STFCL 16	32	25	200	40	16	23	0,773			

93° SVUCR




Sipariş Kodu Order Code Best.-Nr.	Stok/Stock/Lager	Ürün Kodu Product Code Produkt-Code	Ölçüler (mm) Dimensions(mm) Abmessungen (mm)							Kullanılan Uç Insert WSP	Sıkma Cıvatası Clamp Screw Torx-Schraube	Anahtar Torx Key Torx-Schlüssel
			Dmin	d	L	L1	f	h				
K211	●	S16Q SVUCR 11	20	16	180	30	11	15	0,280	VCMT 1103	TC060 M2,5x5,5	T8
K212	●	S20Q SVUCR 11	25	20	180	32	13	18	0,432			
K213	●	S25R SVUCR 16	32	25	200	40	17	23	0,771	VCMT 1604	TC074 M4x10	T15
K214	●	S32T SVUCR 16	40	32	300	50	22	30	1,833			
K215	○	S40T SVUCR 16	50	40	300	55	27	38	2,807			

93° SVUCL




Sipariş Kodu Order Code Best.-Nr.	Stok/Stock/Lager	Ürün Kodu Product Code Produkt-Code	Ölçüler (mm) Dimensions(mm) Abmessungen (mm)							Kullanılan Uç Insert WSP	Sıkma Cıvatası Clamp Screw Torx-Schraube	Anahtar Torx Key Torx-Schlüssel
			Dmin	d	L	L1	f	h				
K300	●	S16Q SVUCL 11	20	16	180	30	11	15	0,280	VCMT 1103	TC060 M2,5x5,5	T8
K302	●	S20Q SVUCL 11	25	20	180	32	13	18	0,432			
K304	●	S25R SVUCL 16	32	25	200	40	17	23	0,771	VCMT 1604	TC074 M4x10	T15
K306	○	S32T SVUCL 16	40	32	300	50	22	30	1,833			

93° SVUBR




Sipariş Kodu Order Code Best.-Nr.	Stok/Stock/Lager	Ürün Kodu Product Code Produkt-Code	Ölçüler (mm) Dimensions(mm) Abmessungen (mm)							Kullanılan Uç Insert WSP	Sıkma Cıvatası Clamp Screw Torx-Schraube	Anahtar Torx Key Torx-Schlüssel
			Dmin	d	L	L1	f	h	KG			
K206	●	S16Q SVUBR 11	20	16	180	30	11	15	0,278	VBMT 1103	TC061 M2,5x6,5	T8
K207	●	S20Q SVUBR 11	25	20	180	32	13	18	0,700			
K208	●	S25R SVUBR 16	32	25	200	40	17	23	0,730	VBMT 1604	TC074 M4x10	T15
K209	●	S32T SVUBR 16	40	32	300	50	22	30	1,822			
K210	●	S40T SVUBR 16	50	40	300	50	27	38	2,836			

93° SVUBL




Sipariş Kodu Order Code Best.-Nr.	Stok/Stock/Lager	Ürün Kodu Product Code Produkt-Code	Ölçüler (mm) Dimensions(mm) Abmessungen (mm)							Kullanılan Uç Insert WSP	Sıkma Cıvatası Clamp Screw Torx-Schraube	Anahtar Torx Key Torx-Schlüssel
			Dmin	d	L	L1	f	h	KG			
K282	●	S16Q SVUBL 11	20	16	180	30	11	15	0,278	VBMT 1103	TC061 M2,5x6,5	T8
K284	●	S20Q SVUBL 11	25	20	180	32	13	18	0,700			
K286	●	S25R SVUBL 16	32	25	200	40	17	23	0,730	VBMT 1604	TC074 M4x10	T15
K288	●	S32T SVUBL 16	40	32	300	50	22	30	1,822			

107,5° SVQBR




Sipariş Kodu Order Code Best.-Nr.	Stok/Stock/Lager	Ürün Kodu Product Code Produkt-Code	Ölçüler (mm) Dimensions(mm) Abmessungen (mm)							Kullanılan Uç Insert WSP	Sıkma Civatası Clamp Screw Torx-Schraube	Anahtar Torx Key Torx-Schlüssel
			Dmin	d	L	L1	f	h				
K216	●	S16Q SVQBR 11	20	16	180	30	11	15	0,276	VBMT 1103	TC061 M2,5x6,5	T8
K217	●	S20Q SVQBR 11	25	20	180	30	13	18	0,422			
K218	●	S25R SVQBR 16	32	25	200	50	17	23	0,725			
K219	●	S32T SVQBR 16	40	32	300	50	22	30	1,790	VBMT 1604	TC074 M4x10	T15
K220	●	S40T SVQBR 16	50	40	300	55	27	38	2,765			

107,5° SVQBL




Sipariş Kodu Order Code Best.-Nr.	Stok/Stock/Lager	Ürün Kodu Product Code Produkt-Code	Ölçüler (mm) Dimensions(mm) Abmessungen (mm)							Kullanılan Uç Insert WSP	Sıkma Civatası Clamp Screw Torx-Schraube	Anahtar Torx Key Torx-Schlüssel
			Dmin	d	L	L1	f	h				
K310	●	S16Q SVQBL 11	20	16	180	30	11	15	0,276	VBMT 1103	TC061 M2,5x6,5	T8
K312	●	S20Q SVQBL 11	25	20	180	30	13	18	0,422			
K314	●	S25R SVQBL 16	32	25	200	50	17	23	0,725			
K316	●	S32T SVQBL 16	40	32	300	50	22	30	1,790	VBMT 1604	TC074 M4x10	T15
K318	●	S40T SVQBL 16	50	40	300	55	27	38	2,765			

107,5° SVQCR



Sipariş Kodu Order Code Best.-Nr.	Stok/Stock/Lager	Ürün Kodu Product Code Produkt-Code	Ölçüler (mm) Dimensions(mm) Abmessungen (mm)							Kullanılan Uç Insert WSP	Sıkma Civatası Clamp Screw Torx-Schraube	Anahtar Torx Key Torx-Schlüssel
			Dmin	d	L	L1	f	h	kg			
K221	●	S16Q SVQCR 11	20	16	180	30	11	15	0,281	VCMT 1103	TC060 M2,5x5,5	T8
K222	●	S20Q SVQCR 11	25	20	180	30	13	18	1,762			
K223	●	S25R SVQCR 16	32	25	200	50	17	23	0,728	VCMT 1604	TC074 M4x10	T15
K224	●	S32T SVQCR 16	40	32	300	50	22	30	1,786			
K225	●	S40T SVQCR 16	50	40	300	55	27	38	2,767			

107,5° SVQCL



Sipariş Kodu Order Code Best.-Nr.	Stok/Stock/Lager	Ürün Kodu Product Code Produkt-Code	Ölçüler (mm) Dimensions(mm) Abmessungen (mm)							Kullanılan Uç Insert WSP	Sıkma Civatası Clamp Screw Torx-Schraube	Anahtar Torx Key Torx-Schlüssel
			Dmin	d	L	L1	f	h	kg			
K319	●	S16Q SVQCL 11	20	16	180	30	11	15	0,281	VCMT 1103	TC060 M2,5x5,5	T8
K320	●	S20Q SVQCL 11	25	20	180	30	13	18	1,762			
K322	●	S25R SVQCL 16	32	25	200	50	17	23	0,728	VCMT 1604	TC074 M4x10	T15
K324	●	S32T SVQCL 16	40	32	300	50	22	30	1,786			