

Measuring Progress Performance Report

January 2020 - March 2020

making Lancashire safer

2019-20 Quarter 4

This page is intentionally left blank

Introduction

The following pages set out Lancashire Fire and Rescue Service's Performance Framework, an explanation of how our Key Performance Indicator's (KPI) are measured and how we are performing.

The document illustrates our performance across all our KPI's and where appropriate, by an analysis of the KPI's which are classified as being in exception, along with an analysis of the cause and actions being taken to improve performance.

Table of Contents	Page (s)
Introduction	3
Performance Framework	4
Explanation of Performance Measures	5
Index	6 - 7
Key Performance Indicators	9 - 36

Performance Framework

The Combined Fire Authority sets the Service challenging targets for a range of key performance indicators (KPI) which help them to monitor and measure our performance in achieving success and meeting our priorities. Performance against these KPIs is scrutinised every quarter at the Performance Committee.

The below graphic illustrates our priorities and how their respective KPI's fit within the overall performance framework.

	_	
Preventing fires	1.1	Critical Fire Risk Map Score
and other	1.2	Overall Activity
emergencies	1.3	Accidental Dwelling Fires (ADF)
from happening.	1.3.1	ADF – Extent of Damage (Fire Severity)
	1.3.2	ADF – Number of incidents where occupants have received a Home Fire
Protecting		Safety Check
people and	1.4	ADF Casualties
property when	1.5	Accidental Building Fires
fires happen.	1.5.1	Accidental Building Fires – Extent of Damage (Fire Severity)
	1.6.1	Deliberate Fires – Antisocial Behaviour (ASB)
	1.6.2	Deliberate Fires – Dwellings
	1.6.3	Deliberate Fires – Non Dwellings
	1.7	High Risk HFSC
	1.8	Road Safety Education
	1.9	Fire Safety Enforcement
Responding	2.1.1	Critical Fire Response – 1 st Fire Engine Attendance
to fire and other		Critical Fire Response – 2 nd Fire Engine Attendance
emergencies		Critical Special Service Response – 1 st Fire Engine Attendance
quickly and	2.3	Fire Engine Availability (Wholetime, Day Crewing & Day Crewing Plus)
competently.	2.4	Fire Engine Availability (On Call)
	2.4.1	
	2.5	Staff Accidents
Delivering	3.1	Progress Against Savings Programme
value for money	3.2	Overall User Satisfaction
in how we use		
our resources.		
	-	
Valuing our	4.1	Overall Staff Engagement
people so that	4.2.1	Staff Absence (Excluding On Call)
they can focus	4.2.2	Staff Absence (On Call)
on making		
Lancashire		
safer.		

Explanation of Performance Measures

KPI's are monitored either by using an XmR chart, comparing current performance against that achieved in the previous cumulative years activity, or against a pre-determined standard, for example, the response standard KPI's are measured against a range of set times.

The set times are dependent upon the risk rating given to each Super Output Area (SOA), which is presented as a percentage of occasions where the standard is met.

XmR chart explanation (Value [X] over a moving [m] range [R]).

An XmR chart is a control chart used to highlight any significant changes in activity so that interventions can be made before an issue arises. It can also highlight where activity has decreased, potentially as a result of preventative action which could be replicated elsewhere.


Activity is deemed to be within standard if it remains within set upper and lower limits. These limits are based upon the previous three years activity and are set using a statistical constant, derived from the standard deviation.

An exception report is generated if the XmR rules are breached.

The following rules are applicable to the XmR charts and define when an exception has occurred:

- 1. A single point beyond the Upper Control Limit is classified as a negative exception.
- 2. A single point beyond the Lower Control Limit is classified as a positive exception.


Example XmR chart: In the example below, KPI 1.3 would produce a negative exception for meeting rule 1, as the activity, represented as a dark blue line, for December 2018 (()) is above the Upper Control Limit (UCL) and a positive exception in February 2019 (()) for meeting rule 2.



Key Performance Index and Indicator trends

This section provides an overview of the performance direction of the KPI's. Each KPI is shown within its priority with an indicator, called Sparkline's, which are the inset summary charts below and indicate the relative direction of travel and trends over the last four quarters; so the last point of the chart will always represent the most recent quarter. Sparkline's are simple indicative indicators and are not intended to have labelled points or axes.

The cell shading denotes whether the indicator is - within accepted limits:



or is in negative exception:

KPI		Description	Progress	Page (s)
1		ting fires and other emergencies from happening. ing people and property when fires happen.		
1.1		Risk Map Score		9
1.2		Overall Activity		10
1.3		Accidental Dwelling Fires (ADF)	\searrow	12
1.3.1		ADF - Extent of Damage (Fire Severity)	\sim	13
1.3.2	HFSC	ADF - Number of Incidents Where Occupants have Received a HFSC		14
1.4		Accidental Dwelling Fire Casualties		15
1.5		Accidental Building Fires (ABF) - Non Dwellings		17
1.5.1		ABF (Non Dwellings) - Extent of Damage (Fire Severity)		18
1.6.1	★≜	Deliberate Fires - Anti-Social Behaviour		19
1.6.2		Deliberate Fires - Dwellings	\wedge	19
1.6.3		Deliberate Fires - Non Dwellings	\frown	19
1.7	HFSC	High Risk Home Fire Safety Checks		20
1.8		Road Safety Education Evaluation		21
1.9		Fire Safety Enforcement		22

Key Performance Index and Indicator trends

KPI		Description	Progress	Page (s)
2	Respor	iding to fire and other emergencies quickly and competent	ly.	
2.1.1		Critical Fire Response - 1st Fire Engine Attendance		23
2.1.2		Critical Fire Response - 2nd Fire Engine Attendance		24
2.2.1		Critical Special Service Response - 1st Fire Engine Attendance	$\sum_{i=1}^{n}$	25
2.3		Fire Engine Availability - Wholetime, Day Crewing and Day Crewing Plus		26
2.4	ON-CALL	Fire Engine Availability - On-Call Duty System		27
2.4.1	ON-CALL	Fire Engine Availability - On-Call Duty System (without wholetime detachments)	Subset of KPI 2.4 and provided for information only	28
2.5		Staff Accidents	\sim	29
3	Deliver	i ng value for money in how we use our resources.		
3.1	Ê	Progress Against Savings Programme		30
3.2	\bigcirc	Overall User Satisfaction		31
4	Valuing	our people so that they can focus on making Lancashire s	safer.	
4.1		Overall Staff Engagement		32
4.2.1		Staff Absence - Excluding On-Call Duty System		33
4.2.2		Staff Absence - On-Call Duty System		36

This page is intentionally left blank

1.1 Risk Map



This indicator measures the fire risk in each SOA. Risk is determined using fire activity over the previous three fiscal years along with a range of demographic data, such as population and deprivation.

Specifically, the risk score for each SOA is calculated using the formula shown below.

Once an SOA has been assigned a score, it is then categorised by risk grade.


Standard: To reduce the risk in Lancashire an annual reduction in the County risk map score.

The County risk map score is updated annually, before the end of the first quarter. An improvement is shown by a year on year decreasing 'score' value.

Current score 31,816, previous year score 32,114.

Dwelling Fires Total Dwellings + (Dwelling Fire Casualties x 4) + Building Fire + (IMD x 2) = Risk Score

Score Category	Risk Grade	Score (14-17)	SOA Count (14-17)	Score (15-18)	SOA Count (15-18)	Score (16-19)	SOA Count (16-19)
Less than 36	L	11,980	521	12,012	524	12,528	542
Between 36 & 55	М	13,722	321	13,654	321	13,230	310
Between 56 & 75	Н	4,654	74	4,598	74	4,306	68
Greater than 75	VH	2,042	25	1,850	22	1,752	21
Grand Total		32,398	941	32,114	941	31,816	941




1.2 Overall Activity



Quarter activity 3,851

The number of incidents that LFRS attend with one or more pumping appliances. Includes fires, special service calls, false alarms and collaborative work undertaken with other emergency services. For example, missing person searches on behalf of the Police and gaining entry incidents at the request of the Ambulance Service.

A breakdown of incident types included within this KPI is shown on the following page.



Quarterly activity increased 7.72% over the same quarter of the previous year.

The grey line on the XmR chart denotes the mean monthly activity over the previous 3 years and the pale blue line the current mean.


Current	3 year		Monthly Mear	I
Mean	Mean	2018/19	2017/18	2016/17
1,434	1,335	1,421	1,320	1,263

1.2 Overall Activity Breakdown



Incidents attended by Lancashire Fire and Rescue Service consist of a myriad of different types. The breakdown below, whilst not an exhaustive list, aims to illustrate how activity captured within KPI 1.2 Overall Activity is split by the different types of incidents.

The chart figures represent the count and percentage each activity contributes to the quarter's activity, whilst the inset table breaks the incident types down further.



making Lancashire safer

1.3 Accidental Dwelling Fires



The number of primary fires where a dwelling has been affected <u>and</u> the cause of fire has been recorded as 'Accidental' or 'Not known'.

A primary fire is one involving property (excluding derelict property) <u>or</u> any fires involving casualties, rescues, <u>or</u> any fire attended by five <u>or</u> more appliances. An appliance is counted if either the appliance, equipment from it or personnel riding on it, were used to fight the fire.

Year 2019/20 2018/19 Previous year Quarter 4 to Date Quarter 4 to Date **1.3 Accidental Dwelling Fires** 816 201 815 185 110 100 90 80 70 60 50 40 Sep Oct Dec Jan Feb Aug Mar Apr May Apr Vlay lun Aug eb lun Aug Var ١٦ Sep ö 20 Dec Jan ٩ar Apr Jay nn Е Ы Sep oct 202 Dec Jan Feb 2017/18 2018/19 2019/20 Incidents UCL Current 3 Year LCL Mean Mean

Quarterly activity increased 8.65% over the same quarter of the previous year.

The grey line on the XmR chart denotes the mean monthly activity over the previous 3 years and the pale blue line the current mean.

	Current	3 year	Monthly Mean				
y e	Mean	Mean	2018/19	2017/18	2016/17		
	68	72	68	79	70		



ADF criteria as 1.3. Extent of fire and heat damage is recorded at the time the STOP message is sent and includes all damage types.

The chart below shows a rolling quarterly severity of Accidental Dwelling Fire over the previous two years. Each quarter is broken down in to high, medium & low and is calculated using the Cheshire Fire Severity Index for Accidental Dwelling Fires.

Each quarter includes the percentage out of 100% that each severity type represents of the total, with an indicator to illustrate the direction against the same quarter of the previous year.

The latest quarter recorded a combined 'low' and 'medium' severity of 92%. This is a decrease of 4.8% against the 96.8% recorded in the same quarter of the previous year.

			Seve				P	reviou	us Rolli	ng 4	Quarter	S	_			
				inst the sam evious year)		Quar	ter 4	Qua	arter 1	QL	larter 2	Quarter 3	Qua	rter 4		
1.3.1 AD Severity			High	•	↑ ↑		3.2%		3.8%		6.5%	4.9%		0%		
Fire		I	Medium	•			7%	49	.8%	5	51.5%	57.3%	49.	.8%		
			Low	Û		47.0	0%	46	6.4%	4	2.0%	37.9%	42.	.2%		
100% -	4	.2%	5.2%	4.6%	2	1.5%	3.:	2%	3.89	%	6.5%	4.9%	8.0%			
80% -	50	0.6%	48.6%	46.4%	5	2.7%	49.	7%	49.8	%	51.5%	57.3%	49.8%			
60% -							_									
40% -																
20% -	4!	5.1%	46.2%	49.0%	4	2.8%	47.	0%	46.4	%	42.0%	37.9%	42.39	%		
0% -			.			•••										
	Q4 2017/		Q1	Q2 2018		Q3	Q	4	Q1		Q2 20	Q3 019/20	Q	4		
				 High 		= N	/lediu	n		Low	1					

1.3.2 ADF - Number of Incidents Where Occupants have Received a HFSC



ADF criteria as 1.3. The HFSC must be a completed job (i.e. not a refusal) carried out by LFRS personnel or partner agency. The HFSC must have been carried out within <u>12 months</u> prior of the fire occurring.

An improvement is shown if the percentage of '% of ADF's with previous HFSC' is greater than the comparable quarter of the previous year. This indicates that the correct households are being targeted with prevention activities.

Over the latest quarter, Accidental Dwelling Fires with a previous HFSC increased 5% against the total number of ADF's over the same quarter of the previous year.


	2019	9/20	♠/ঢ়	2018/19			
	ADF's with previous HFSC			ADF's with previous HFSC	% of ADF's with previous HFSC		
Quarter 1	23	11%	1	21	10%		
Quarter 2	26	13%	1	17	9%		
Quarter 3	31	15%	1	24	11%		
Quarter 4	27	13%		15	8%		

1.4 Accidental Dwelling Fire Casualties

ADF criteria as 1.3. The number of fire related fatalities, slight and serious injuries.

A slight injury is defined as; a person attending hospital as an outpatient (not precautionary check). A serious injury is defined as; at least an overnight stay in hospital as an in-patient.

There were two fatalities during the latest quarterly period. Four casualties are recorded as serious and 11 slight. The same quarter of the previous year recorded no fatalities, 3 serious and 10 slight.



The grey line on the XmR chart denotes the mean monthly activity over the previous 3 years and the pale blue line the current mean.

	Current	3 year	Monthly Mean				
ty e	Mean	Mean	2018/19	2017/18	2016/17		
0	5	4	4	3	4		

making Lancashire safer

What are the reasons for an Exception Report

This is a negative exception report due to the number of casualties recorded during the month of January, within quarter 4, being above the upper control limit.

Analysis

During the January 2020 – March 2020 quarter, there have been 17 recorded casualties, with a peak in January of 11. This month is above the upper control limit of 9.

January recorded one fatality, a further 2 casualties with serious injuries and 8 with slight injuries. Two of the slight injuries occurred at the same incident, with the remainder occurring at separate locations.

Due to the number of casualties being quite small, there can often be large variations in the month on month counts; as such, the monthly 'mean' average over the year show there are an average of 5 casualties per month, compared to 4 per month over the previous 3 years.

The overall Accidental Dwelling Fire (KPI 1.3) counts show that the end of year counts are at an equal ten year low.

Home Fire Safety Checks (HFSC's) have also been increasing, with a greater number being undertaken in 2019/20 than in each of the previous 4 years.

Actions being taken to improve performance

Whilst adhering to current Health and Safety distancing guidance: The Service aims to continue with:

- Local and county wide initiatives.
- Community Fire Safety (CFS) attendance at Age UK events, Dementia cafes, engagement with people with a health, physical or mental health condition to highlight key messages and champion LFRS campaigns.
- Engagement with local pubs, with material left to highlight awareness of cooking under the influence.
- Continued encouragement of partner agencies to refer those they feel at risk of fire
- The Live Safe, Age Well presentation delivered to Councils and other large employee organisations.


1.5 Accidental Building Fires (Non Dwellings)



Quarter activity **71**

Primary fire criteria as 1.3. Accidental Building Fires (ABF) are recorded as: Primary fires where; the property type is 'Building' and the property sub type does not equal 'Dwelling' <u>and</u> the cause of fire has been recorded as 'Accidental' or 'Not known'.

Quarterly activity decreased 25.26% over the same quarter of the previous year.



The grey line on the XmR chart denotes the mean monthly activity over the previous 3 years and the pale blue line the current mean.

Current	3 year	Monthly Mean					
Mean	Mean	2018/19	2017/18	2016/17			
26	31	34	31	28			

1.5.1 ABF (Non Dwellings) - Extent of Damage (Fire Severity)


Quarter activity: 83.1%

ABF criteria as 1.5. Extent of fire and heat damage is recorded at the time the STOP message is sent and includes all damage types. Included within this KPI are property types of private garages and private sheds; due to their single room construction, any damage is often classified as 'whole building', which will have the effect of increasing their severity category outcome.

The chart below shows a rolling guarterly severity of ABF over the previous two years. Each guarter is broken down in to high, medium & low and is calculated using the Cheshire Fire Severity Index for Accidental Dwelling Fires methodology, applied to Accidental Building Fires.


Each quarter includes the percentage out of 100% that each severity type represents of the total, with an indicator to illustrate the direction against the same quarter of the previous year.

The latest guarter recorded a combined 'low' and 'medium' severity of 83.1%. This is an improvement of 13.6% against the combined severity of 69.5% recorded in the same quarter of the previous year.



1.6 Deliberate Fires

The number of primary and secondary fires where; the cause of fire has been recorded as 'Deliberate'. Secondary fires are the majority of outdoor fires including grassland and refuse fires unless they involve casualties or rescues, property loss or 5 or more appliances attend; includes fires in single derelict buildings.



The grey line on the XmR chart	Current Mean	3 year Mean	M	onthly Mea	n
denotes the mean monthly activity over the previous 3 years and the pale blue line the	Wean	wiean	2018/19	2017/18	2016/17
current mean.	140	160	175	156	150

making Lancashire safer

Quarter activity

256

1.7 Home Fire Safety Checks



The percentage of completed HFSC's (KPI 1.7.1), excluding refusals, carried out by LFRS personnel or partner agencies in the home, where the risk score has been determined to be high.


An improvement is shown if:

1) the total number of HFSC's completed is greater than the comparable quarter of the previous year and,

2) the percentage of high HFSC outcomes is greater than the comparable quarter of the previous year.

The number of completed HFSC's decreased 14% over the same quarter of the previous year and the percentage of those with a high risk outcome, decreased by 5%.

	2019/20		\$\\$	2018/19		
	HFSC completed	% of High HFSC outcomes	Progress	HFSC completed	% of High HFSC outcomes	
Quarter 1	4,843	65%	♠ /₽	3,441	66%	
Quarter 2	5,381	61%	♠ /₽	3,988	67%	
Quarter 3	4,862	60%	①\①	4,945	64%	
Quarter 4	4,393	60%	①\①	5,137	65%	



1.8 Road Safety Education Evaluation

The percentage of participants of the Wasted Lives and RoadSense education packages that show a positive change to less risky behaviour following the programme. This is based on comparing the overall responses to an evaluation question pre and post-delivery of the course.

Total participants are a combination of those engaged with at Wasted Lives and Road Sense events.


An improvement is shown if the percentage positive influence on participants behaviour is greater than the comparable quarter of the previous year.

The total number of participants increased 24.9% and those with a percentage of positive influence^[1] on participant's behaviour remained consistent with the same quarter of the previous year.

	2019/20 (Cumulative)		♠/♫	2018/19 <i>(</i> Cumulative)	
	Total participants	% positive influence on participants behaviour ^[1]	Progress	Total participants	% positive influence on participants behaviour ^[1]
Quarter 1	4,354	85%	₽\⇔	5002	85%
Quarter 2	8,158	85% ^[2]	↑/ ⇔	5983	85%
Quarter 3	16,417	85% ^[2]	↑/ ⇔	10613	85%
Quarter 4	21,516	85% ^[2]	≜/ ⇔	17220	85%

^[1] From a sample. ^[2] Estimate





Quarter activity

85%

1.9 Fire Safety Enforcement		Quarter activity 10%
-----------------------------	--	-----------------------------


The number of Fire Safety Enforcement inspections carried out within the period resulting in supporting businesses to improve and become compliant with fire safety regulations or to take formal action of enforcement and prosecution of those that fail to comply.

Formal activity is defined as one or more of the following; enforcement notice or an action plan, alterations notice or prohibition notice.

An improvement is shown if the percentage of audits 'Requiring formal activity' is greater than the comparable quarter of the previous year. This helps inform that the correct businesses are being identified.

*The 'Number of Inspections' count includes Business safety advice and advice to other enforcement authorities, which are not captured within the formal/informal or satisfactory counts.

	2019/20					♠/⇩	2018/19
	*Number of	her of Requiring		Satisfactory	Percentage		Percentage
Quarter	Inspections	Formal Activity	Informal Activity	Audit	requiring Formal Activity	Progress	requiring Formal Activity
1	411	38	270	90	9%	\Leftrightarrow	9%
2	392	35	248	105	9%	Û	12%
3	385	38	222	93	10%	1	7%
4	251	33	147	55	13%	•	11%



2.1.1 Emergency Response Standards -Critical Fires - 1st Fire Engine Attendance



Critical fire incidents are defined as incidents that are likely to involve a significant threat to life, structures or the environment. Our response standards, in respect of critical fires, are variable and are determined by the risk map (KPI 1.1) and subsequent risk grade of the Super Output Area (SOA) in which the fire occurred.

The response standards include call handling and fire engine response time for the first fire engine attending a critical fire, and are as follows:


- Very high risk area = 6 minutes
- Medium risk area = 10 minutes

• High risk area = 8 minutes

Low risk area = 12 minutes

We have achieved our **90% standard** when the time between the 'Time of Call' (TOC) and 'Time in Attendance' (TIA) of the first fire engine arriving at the incident is less than the relevant response standard.

The latest quarter 1st pump response increased 1.02% of total first fire engine attendances over the same quarter of the previous year.



2.1.2 Emergency Response Standards -Critical Fires – 2nd Fire Engine Attendance



Critical fire incidents are defined as incidents that are likely to involve a significant threat to life, structures or the environment. Our response standards, in respect of critical fires, are variable and are determined by the risk map (KPI 1.1) and subsequent risk grade of the Super Output Area (SOA) in which the fire occurred. The response standards include call handling and fire engine response time for the second fire engine attending a critical fire, and are as follows:


- Very high risk area = 9 minutes
- Medium risk area = 13 minutes

• High risk area = 11 minutes

• Low risk area = 15 minutes

We have achieved our **85% standard** when the time between the 'Time of Call' and 'Time in Attendance' of second fire engine arriving at the incident is less than the relevant response standard.

The latest quarter 2nd pump response improved 4.41% of total Second Pump Attendances over the same quarter of the previous year.




2.2.1 Emergency Response Standard -Critical Special Service - 1st Fire Engine Attendance



Critical special service incidents are non-fire incidents where there is a risk to life, for example, road traffic collisions, rescues and hazardous materials incidents. For these incidents there is a single response standard which measures call handling time and fire engine response time. The response standard for the first fire engine attending a critical special service call is 13 minutes.

We have achieved our **90% standard** when the time between the 'Time of Call' and 'Time in Attendance' of first fire engine arriving at the incident is less than the response standard.

The latest quarter 1st pump response decreased 2.15% of the total responses over the same quarter of the previous year.



2.3 Fire Engine Availability - Wholetime, Day Crewing and Day Crewing Plus



Quarter availbility 99.55%

This indicator measures the availability of fire engines that are crewed by wholetime, day crewing and day crewing plus shifts. It is measured as the percentage of time a fire engine is available to respond compared to the total time in the period.

Fire engines are designated as unavailable for the following reasons:

• Mechanical

station

- Lack of equipment
- Crew deficient


Engineer working on

- Miscellaneous
- Unavailable

- Appliance change over
- Debrief
- Welfare

Standard: 99.5%

Year to date availability of 99.55% is a decrease of 0.1% over the same period of the previous year.




2.4 Fire Engine Availability – On-Call Duty System

This indicator measures the availability of fire engines that are crewed by the On Call duty system. It is measured by calculating the percentage of time a fire engine is available to respond compared against the total time in the period.

Fire engines are designated as unavailable (off-the-run) for the following reasons. This is further broken down by the percentage of off-the-run (OTR) hours that each reason contributes to the total. A Fire engine can be OTR for more than one reason; hence the percentages are interpreted individually, rather than as a proportion of the total:


- Manager deficient
- Crew deficient
- No driver

Not enough BA wearers



Standard: Above 95%

Year to date availability 87.49%, a 0.23% increase against the total availability previous year to date of 87.29%.



2.4.1 Fire Engine Availability – On-Call Duty System (without wholetime detachments).

ON-CALL

Quarter availbility 86.68%

Performance indicator: 2.4.1 Fire Engine Availability – On-Call Duty System (without wholetime detachments).

Subset of KPI 2.4 and provided for information only.

This indicator measures the availability of fire engines that are crewed by the On-Call duty system (OC) when wholetime detachments are not used to support availability. It is measured by calculating the percentage of time a fire engine is available to respond compared to the total time in the period.

Fire engines are designated as unavailable (off-the-run) for the following reasons:

- Manager deficient
- Crew deficient
- Not enough BA wearers
- No driver

Standard: As a subset of KPI 2.4 there is no standard attributable to this KPI.


The percentage of time that On-Call crewed engines were available for the most recent quarter was 86.68%. This excludes the wholetime detachments shown in KPI 2.4



The number of staff accidents.

An improvement is shown if the average number of staff accidents per quarter is lower than the mean of the previous three years.

The number of staff accidents during the latest quarter decreased by 47.6% against the same quarter of the previous year.



The grey line on the XmR chart denotes the mean quarterly activity over the previous 3 years and the pale blue line the current mean.

Current	3 year	Quarterly Mean			
Mean	Mean	2018/19 2017/18 2016/			
18	15	16	15	15	

3.1 Progress against Savings Programme



The total cumulative value of the savings delivered to date compared to the year's standard and the total.

Budget to end of March 2020 £56.0 million. The spend for the same period was £56.0 million.

As a public service we are committed to providing a value for money service to the community and it is important that once a budget has been agreed and set, our spending remains within this.

The annual budget for 2019/20 was set at £56.0 million. The spend for the year is currently also £56.0 million, although the closure of the accounts process during May (including year-end accounting adjustments in respect of items such as provisions and reserves transfers and capital accounting) has yet to be finalised. Following completion of the year end process, this is expected to remain in a broadly break even position.

Variance:

0.00%

3.2 Overall User Satisfaction

The percentage of people who were satisfied with the service received as a percentage of the total number of people surveyed.

People surveyed include those who have experienced an accidental dwelling fire, a commercial fire or a special service incident that we attended.

The standard is achieved if the percentage of satisfied responses is greater than the standard.

94 people were surveyed; 94 responded that they were very or fairly satisfied.

Question	Total	Number Satisfied	% Satisfied	% Standard	% Variance
Taking everthing in to account, are you satisfied, dissatistfied, or neither with the service you received from Lancashire Fire and Rescue Service?	2,401	2,378	99.04%	97.50%	1.58%

There have been 2,401 people surveyed since April 2012.

During the latest quarter - 94 people were surveyed and 94 responded that they were 'very satisfied' or 'fairly satisfied' with the service they received.

Percentage satisfied 99%





Percentage Engaged

Staff surveys are undertaken on matters which require a broader range of input. In the past, these have related to health and wellbeing, naming of the new intranet or more targeted surveys on challenges faced by blue light drivers.


Due to surveys being undertaken on an ad hoc basis, they will be reported on an 'as required' basis. As such, the measure of success will be the levels of engagement in a survey and in contributing to decisions and improvements.

During December 2019 and January 2020, a survey was undertaken as part of a review of the duty rig uniform. Staff were consulted on a proposal for all uniform-wearing staff to wear blue shirts, including managers who currently wear white shirts.

The survey was carried out via online and paper surveys. 573 staff responded to the survey representing 49% of the workforce. This is an increase on the 2018 staff survey response rate which was 43%.

A further 57 members of staff participated in trials of new trousers and boots and 32 engaged in focus groups to provide feedback.

Based on the engagement levels and the positive feedback obtained during the consultation, the Service is changing to the boots and trousers preferred by staff. The majority also preferred to maintain blue and white shirts and this position has been accepted by the Service.






The cumulative number of shifts (days) lost due to sickness for all wholetime, DCP, DC and support staff divided by the total number of staff.

Annual Standard: Not more than 5 shifts lost.

(Represented on the chart as annual shifts lost ÷ 12 months)



Cumulative total number of monthly shifts lost:

9.132

What are the reasons for an Exception Report

This is a negative exception report due to the number of shifts lost through absence per employee being above the Service target for each month during quarter 3.

Analysis

During quarter four January 2020 – March 2020, absence statistics shows above target for all three months. Whole-time personnel and Non-uniformed personnel are both well above the target over all three months.

There were 14 cases of long term absence which span over the total of the 3 months; the reasons being:

Green Book		
Reason	Case/s	
Mental health	2	
Injury	2	
Cancer	1	
Cardio Vascular	1	
Operation	1	

Grey Book		
Reason	Case/s	
Cancer	3	
Mental Health	3	
Injury	1	

During the quarter, 4 Green book employees returned to duty.

There were 26 other cases of long term absence which were also recorded within the 3 months:

Green Book		
Reason	Case/s	
Mental health	2	
Operation	2	
Injury	1	
Neurological	1	

Grey Book			
Reason	Case/s		
Muscular-skeletal	7		
Mental Health	4		
Injury	3		
Operation	3		
Cancer	2		
Cardio	1		

During the quarter there were 12 Grey book employees who returned to duty, 3 employees retired and 1 death in Service.

At the end of March 2020 the cumulative totals show that non-uniformed staff absence was significantly above target at 13.41 shifts lost per employee, for whole-time uniformed staff absence

was also above target at 7.73 shifts lost per employee. Overall absence for all staff (except On Call staff) was 9.13 shifts lost which is well above the Service target of 5 shifts lost for this quarter.

Actions being taken to improve performance

The Service aims to continue with:


- Early intervention by Occupational Health Unit (OHU) doctor/nurse/physiotherapist.
- Human Resources (HR) supporting managers in following the Absence Management Policy managing individual long term cases, addressing review periods/triggers in a timely manner and dealing with capability off staff due to health issues.
- To be included again within the leadership conference to assist future managers understanding and interpretation of the policy.
- Encouraging employees to make use of our Employee Assistance Programme provider Health Assured and The Firefighters Charity.
- HR to be in attendance at Stress Risk Assessment meetings, to support managers and to offer appropriate support to the employee along with signposting.
- OHU to organise health checks for individuals on a voluntary basis.
- Support from Service Fitness Advisor/ Personal Training Instructors.
- Promotion of health, fitness and wellbeing via the routine bulletin and Employee Assistance programme.



The percentage of contracted hours lost due to sickness for all On-Call contracted staff. An individual's sickness hours are only counted as absent where they overlap with their contracted hours.

Cumulative On-Call absence, as a percentage of available hours of cover at end of the quarter, 0.61%

Annual Standard: No more than 2.5% lost as % of available hours of cover.



Cumulative On-Call absence (as % of available hours of cover):

0.61%



Appendix 2

Annual Report on Road Safety Intervention Activity

Annual Report

Road Safety Intervention Activity 2019-2020

Introduction

Through our Integrated Risk Management Plan 2017-2022 (IRMP), prevention and protection services and our structure for delivery were reviewed over the course of the last IRMP to ensure that we are delivering appropriate services in line with our changing operating environment. As a result we have changed our working practices with a strategic focus on the quality of the services that we deliver. These services are delivered around four key themes: helping people to start safe, live safe; age safe **and be safe on our roads** with a focus on working collaboratively with other organisations.

To ensure constant improvement in all parts of our prevention priority, the Service has dedicated thematic groups which review current practice and results.

Road Safe Thematic Group

During 2019 - 2020 the Thematic Road Safety Group became well established and is chaired by a Group Manager.

Terms of reference have been developed alongside a priority work programme which supports the Lancashire Road Safety Partnership (LRSP) 'Towards Zero' strategy as described below.

The Terms of Reference are very clear and the group comprises of both Service Delivery and Service Support staff with representation from each of the 6 areas. One of the ambitions is to improve communication between strategic and practitioner levels. Also to send clear messages out to areas with key road safety priorities. We want to deliver focused activities, in areas identified as having issues.

Lancashire Road Safety Partnership

Lancashire Fire and Rescue continue to be a pro-active member of LRSP and have representatives at both Executive and Operational group level. The partners are working very closely with each other and delivering the partnership strategy – 'Towards Zero' Lancashire: Road Safety Strategy for Lancashire, 2016 – 2026', in an attempt to reduce those killed or seriously injured on our roads.

The Partnership has 2 staff posts:

- i) Road Safety Analyst, hosted by Lancashire Constabulary
- ii) Road Safety Coordinator, hosted by LFRS.

The Road Safety Analyst produces road safety reports that focus on the risks not only throughout Lancashire but also on a district level. This data ensures resources are best directed into reducing road traffic collisions of all severities across all of Lancashire's fourteen districts, whilst combating the criminal use of the wider road network. A lot of work has focused on the installation and evaluation of Average Speed Cameras across the county.

The Road Safety Coordinator post aligns all partnership action plans and priorities and ensures the Partnership's road safety activity is effective. An ongoing action plan is monitored to ensure outcomes are reviewed with recommendations made and implemented. The multi-agency role of the Road Safety Coordinator helps to coordinate national campaigns across the county with a high degree of synergy.

LFRS Road Safety Thematic Group Priorities 2019-2020

- 1. Amend the Road Safe primary school package for year 6 (re-development of Road Sense) modernise, add a section on fire safety and provide easier access for delivery. Ensure delivery in every primary school.
- 2. Develop an assembly format and promote delivery of Wasted Lives for year 11/10.
- 3. Further delivery of Biker Down courses.
- 4. Promote and record the use of Crashed Cars.
- 5. Support Safe Drive Stay Alive events.
- 6. Roll out Tyre Safe at Fire Fighters Charity car washes.
- 7. Trial Driving for Better Business (DFBB).
- 8. Use road safety statistics to inform area based road safety delivery and promote Casualty Reduction Partnerships.
- 9. Support the National Fire Chiefs Council Road Safety Calendar.

1. Road Sense

Road Sense is the name given to the road safety education programme that is delivered to Year 6 pupils. It has replaced the Child Safe Fire Safety session with a full fire safety session being moved to year 7 offered to all secondary schools under the Teen Safe banner. However following requests from schools and feedback from our own staff we have reintroduced a fire safety recap at the start, giving an opportunity to draw on previous sessions they will have received in year 2 and exploring the consequences of hoax calls and deliberate fires.

The package focuses on five key road safety themes which were selected to reflect our issues with young people:-

- In Car Safety.
- Pedestrian Safety.
- Cycle Safety.
- Be Safe Be Seen.
- Bus Safety.

In September 2017 Road Sense delivery became mandatory and in the financial year 2019-2020 LFRS delivered Road Sense to 16,024 pupils in year 6 classrooms throughout Lancashire, Blackpool and Blackburn with Darwen. This is an increase of 4000 on the previous financial year.

A lot of work has been done to update the Road Sense package for September 2020 with consultation from both Operational and Community Safety staff. New video clips have been added and the format has been changed to make the presentation easier to deliver for staff and more appropriate for the age group of pupils it is delivered to. We have invested in a hosting platform for the website to assist with technological related problems and subsequently future proof the medium which we deliver. This will also enable us to make changes when required at no extra cost as the package is hosted on a virtual platform, not requiring new disks to be produced.

As with the Wasted Lives programme the evaluation is captured using post-delivery questionnaires given to teachers in an attempt to influence behaviour and change attitudes. The package has been written to align with OFSTED inspections to evidence the positive impact an external organisation has on its pupils.

This initiative is an extension to our existing Child Safe programme so has little impact on schools in terms of additional time or scheduling. By the same token, it has low impact on LFRS resources yet ensures all children in Lancashire receive Road Safety education. This fits in with the LRSP delivery plan aged 0-100 years. All key partners have agreed to focus on different age groups where risk has been identified. This ensures partners are not all targeting the same pupils with different messages.

2. 'Wasted Lives' Young Driver Road Safety Education Programme

LFRS is now the only delivery partner for Wasted Lives following changes at Lancashire County Council. The programme is aimed at young and pre-drivers and hopes to influence behaviour and change attitudes either as a driver or a passenger, thereby reducing risk to this specific group and to other road users.

By actively engaging with this age group (15 - 25 year olds) Wasted Lives aims to maximise the opportunities for people to evaluate and reflect on their own attitudes and behaviour behind the wheel and as a passenger and promote real and lasting changes in how each participant behaves in a car.

Since the introduction of Wasted Lives in 2010, LFRS has delivered road safety education to over 110,000 young people throughout Lancashire, Blackpool and Blackburn with Darwen. For the period 2019–2020 LFRS has delivered the programme to 5,492 young people, a 1000 increase on last year's figure.

Some changes have been made in 2019 to include more material around the dangers of mobile phone use in a vehicle to reflect the trend nationally of mobile phone use increasing by drivers.

We will continue to focus our delivery of Wasted Lives to year 10/11 students as predrivers and those employed as apprentices. In 2020 work has started on developing an assembly format as this is a request we often receive from schools due to timetables being very tight in Yr10 and Yr 11. Although students will get more involvement in the classroom based sessions we have to adapt to requests from the schools.

The 17-25 year olds will receive road safety education by attending a Safe Drive Stay Alive presentation. Although it was expected that the numbers would fall due to SDSA replacing the input offered to colleges, there is concern about consistency of recording sessions using the CFRMIS Q codes. Currently work is being undertaken to look at how Wasted Lives could come under the Teen Safe booking process and resolve the recording issue.

As Wasted Lives is the only recognised road safety education programme delivered to young people within this age group, it is considered that it has played a positive role in the reduction of those killed or seriously injured over the last 10 years.

Each Fire Station and Community Fire Safety Team has a Road Safety Reference Holder who is trained to deliver the programme. Typically, delivery takes place either within a secondary school setting (Year 10 / 11) or to 17-25 year olds in other settings such as the workplace. The programme can be subject to evaluation through a pre and post questionnaire with a further follow up where possible three months after the programme is delivered. The results of the evaluation can then be utilised by Head Teachers as part of any OFSTED inspection demonstrating the positive influence LFRS have had on the young people, as an external organisation visiting the school.

Evaluation is taken across four key areas:

- 1) driver behaviour
- 2) speed
- 3) seatbelts
- 4) drink/drugs.

Evaluation feedback overall suggests that the input has positively changed both behaviour and attitudes in 85% of cases. We continue to monitor this by dip sampling sessions.

3. Safe Drive Stay Alive

Safe Drive Stay Alive is a road safety initiative where the audiences hear real life stories from the emergency services and families who have all been affected by road traffic collisions.

The speakers have all come forward to share their emotional experiences in a bid to reduce the number of young people killed or seriously injured on Lancashire's roads.

Safe Drive Stay Alive is emotional and encourages reflection.

The sessions aim to encourage students to improve their attitudes towards risk taking behaviour on the roads.

Ideally, delivery is carried out in a theatre setting where audiences are bused in from 6th form schools and 1st year students from Further Education Colleges. In 2019-2020 9,031 students attended from various educational establishments around the county. This is a 3000 increase on last year's figures.

Both wasted Lives and SDSA are supported by the use of two crashed cars that are towed to venues, so that students can see first-hand the results of driving at speed under the influence of either alcohol or drugs. To date over 300,000 young people have received the education using the crashed cars. During 2018-2019 the vehicles attended 63 schools / events which we hope will increase year on year. Driving school at STC have been offering courses to increase the number of staff who are passed out to tow the trailers.

4. Fire Fighters Charity Car Wash; Incorporating Vehicle Safety Checks

Both Lancashire and Cheshire Fire & Rescue Service have worked closely on a pilot with Highways England to expand the FF Charity Car washes to include an optional Vehicle Safety Check. Drivers are offered a free tyre safety check, then advice around the safety / health of their tyres. It has proved to be a welcome addition with drivers returning with family members or friends to get their vehicles checked too. This has inadvertently led to an increase in donations for the FF Charity.

The pilot was so successful it got through to the final of the National Highways England Awards. The trial has assisted the development of a toolkit which is supported by the NFCC and will hopefully be adopted by other FRS across the country. Although there is an option to work with Highways England and utilise the laser tyre scanners they purchased, it is easy to replicate using manual tread depth checkers for very little cost. This trial has continued in the March 2020 car washes and work being undertaken with the Fire Fighters Charity to support the roll out nationally.

5. Biker Down

Biker Down is a course that is aimed at motorcyclists and pillions of all ages and experience. The free 3 hour course offers members of the public a chance to learn practical skills which can be put into practice anywhere at any time. The three modules covered are:

- Incident Management
- First Aid
- The Science of Being Seen

The initiative started in Kent and LFRS have signed a memorandum of understanding with Kent FRS to allow us to use the logo and delivery material.

LFRS has worked with LRSP to ensure the delivery is complementary of Bike Safe, which is a Police Led initiative. Anyone who attends Biker Down is encouraged to book onto Bike Safe which is seen as the next step in training as it involves a ride out with an Advanced Police Motorcyclist.

LFRS has successfully delivered 16 Biker Down Sessions in 2019-2020 with 293 people attending. The small delivery team has worked hard to promote the course and forge links with clubs and groups across the county. Plans are in place to expand the delivery and increase knowledge of the course throughout the biking fraternity. All feedback received has been very positive with all attendees saying they will recommend the course to their friends. With some funding from the CFA Road Safety Champion we were very fortunate to be able to purchase some equipment to assist with the delivery of the sessions. We have purchased a training defibrillator, 6 CPR mannequins, 8 helmets and other essential items. We were also able to purchase 100 first aid kits which were a very welcome addition but we are now considering more cost effective ways to provide these. The new equipment has enabled us to make the course far more interactive and give all attendees the opportunity to practice CPR and helmet removal safely, both skills that could save a life.

6. Safe Pass Mat

Lancashire Road Safety Partnership purchased 2 Safe Pass Mats, 1 of which is now stored at Chorley Fire Station. It is a visual aid for all road users around how to pass cyclists safely (allow 1.5 meters), and for educating cyclists to give themselves sufficient room (0.75 meters) away from the gutter to ensure a consistent riding line where they do not become unpredictable, moving in and out to pass grids for example.

The safe pass has been useful to explain the vulnerability of cyclists to other road users who may assume they should ride very close to the kerb or in the gutter. It has proved to be a good engagement tool, being utilised at Road Safety events and Fire Station Open Days.

7. Casualty Reduction Partnerships

This work is currently ongoing with LFRS taking the lead and chairing all three Casualty Reduction Partnerships which take their steer from the Lancashire Road Safety Partnership. This has enabled all road safety partners to come together, look at the risks on the roads in each area and more importantly put action plans together in an attempt to reduce those killed or seriously injured on Lancashire's roads. As it is a meeting practitioners attend it has forged strong links and allowed partners to work far more effectively together.

8. Senior Road Users Workshops

The Senior Road Users Workshops are a LRSP lead initiative, funded by the local authority which continues to be well attended by members of the public. The events give delegates the opportunity to view a market place of exhibitors from local organisations and listen to presentations from Road Safety professionals covering topics that affect the more senior road user:

- In car safety; car seats and seatbelts.
- Fitness to drive.
- Medication and its effect on driving.
- Smart motorways.
- The law.
- Pedestrian safety.
- Alternative modes of transport.

In light of a national trend in the increase in collisions involving the more senior road user it is a welcome addition to Road Safety delivery. LFRS delivers the in car safety presentation which explores the importance of seat belt use and car seat safety for transporting children under 12. Only 1 event was run this year due to the outbreak of the corona virus. The event which took place at Burnley football club attracted over 70 attendees.

9. Road Safety Week

BRAKE Road Safety Week 2019 was 18th-25th November and activities were carried out across the county. Some stations organised specific events or booked in Wasted Lives sessions. The Road Safe group also utilised the 'Selfie Megaphones,' as part of a social media campaign to share key messages. LFRS has featured in the BRAKE report and a photo used from the event run at Kirkham. As an addition to all school sessions crews and CFS staff handed out road safety worksheets on all primary school visits throughout the month of November to ensure messages got home to parents and carers. We also joined other partners of Lancashire Road Safety Partnership to create multiagency messages for social media and deliver road safety assemblies.